

US00D337178S

United States Patent [19]

Cassai

Patent Number: Des. 337,178

Date of Patent: ** Jul. 6, 1993

| [54] | APPLICATORS FOR COSMETICS | | | | |
|------|---------------------------|---|--|--|--|
| [76] | Inventor: | Henry J. Cassai, 163-47 85th St., Howard Beach, N.Y. 11414 | | | |
| [**] | Term: | 14 Years | | | |
| [21] | Appl. No.: | 612,189 | | | |
| | Filed: U.S. Cl | Nov. 13, 1990 D28/77 | | | |

D19/35, 36, 41; 132/317, 318, 320, 216, 218 [56] References Cited

U.S. PATENT DOCUMENTS

| D. 167,690 | 9/1952 | Hopgood | D28/86 |
|--------------------|---------|-------------------|----------------|
| D. 222,827 | 1/1972 | Newman | D 9/300 |
| D. 247,158 | 2/1978 | Evangelista et al | D9/523 |
| D. 278,208 | 4/1985 | Cassai et al | D9/352 |
| D . 305,811 | 1/1990 | Cassai et al | D28/77 |
| D . 306,218 | 2/1990 | Cassai et al. | D28/77 |
| D . 311,787 | 10/1990 | Cassai et al. | D28/77 |
| D. 312,659 | 12/1990 | Oka | D19/41 |
| D . 321,905 | 11/1991 | Tu | D19/36 |
| 4,428,388 | 1/1984 | Cassai et al | 132/88.7 |
| 4,886,080 | 12/1989 | Cole | 132/320 |
| | | | |

Primary Examiner—Bernard Ansher Assistant Examiner—C. Tuttle

[57] CLAIM

The ornamental design for a combined container/bottle and applicators for cosmetics, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a combined container/bottle and applicators for cosmetics showing my new design, its opposite side being a mirror image;

FIG. 2 is a partially exploded side elevational view thereof;

FIG. 3 is a partially exploded top plan view of a second embodiment, said embodiment being identical to the embodiment in FIG. 1 except for the appearance of the modified caps;

FIG. 4 is a partially exploded bottom plan view of a third embodiment, said embodiment being identical to FIG. 1, except for the appearance of the modified caps;

FIG. 5 is a front elevational view of FIG. 1 with the closure removed;

FIG. 6 is a rear elevational view of FIG. 1 with the closure removed;

FIG. 7 is a side elevational view of a fourth modified embodiment, its opposite side being a mirror image;

FIG. 8 is a partially exploded side elevational view thereof;

FIG. 9 is a partially exploded top plan view of a fifth embodiment, said embodiment being identical to the embodiment in FIG. 7 except for the appearance of the modified caps;

FIG. 10 is a partially exploded bottom plan view of a sixth embodiment, said embodiment being identical to the embodiment in FIG. 7 except for the appearance of the modified caps;

FIG. 11 is a front elevational view of FIG. 7 with the closure removed;

FIG. 12 is a rear elevational view of FIG. 7 with the closure removed;

FIG. 13 is a side elevational view of a seventh modified embodiment, its opposite side being a mirror image;


FIG. 14 is a partially exploded side elevational view thereof;


FIG. 15 is a partially exploded top plan view of an eighth embodiment, said embodiment being identical to the embodiment in FIG. 13 except for the appearance of the modified caps;


FIG. 16 is a partially exploded bottom plan view of a ninth embodiment, said embodiment being identical to the embodiment in FIG. 13 except for the appearance of the modified caps;


FIG. 17 is a front elevational view of FIG. 13 with the closure removed; and,


FIG. 18 is a rear elevational view of FIG. 13 with the closure removed.




















July 6, 1993











July 6, 1993

