



US00D337334S

United States Patent [19]

Matsui et al.

[11] Patent Number: **Des. 337,334**

[45] Date of Patent: **** Jul. 13, 1993**

[54] **HIGH SPEED ELECTROFORMING SYSTEM**

4,781,794 11/1988 Herbert, Jr. et al. 205/73

[75] Inventors: **Shigeru Matsui, Kawasaki; Masao Tokita, Yokohama; Shinichi Omura, Narita, all of Japan**

OTHER PUBLICATIONS

Japax, Inc. Product Guide catalog Feb. 1986, Model HEF50E.

[73] Assignee: **Sumitomo Sekitan Kogyo Kabushiki Kaisha also trading as Sumitomo Coal Mining Co., Ltd., Tokyo, Japan**

Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Marshall A. Lerner

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **678,630**

The ornamental design for a high speed electroforming system, as shown and described.

[22] Filed: **Apr. 1, 1991**

DESCRIPTION

[30] Foreign Application Priority Data

Jan. 23, 1991 [JP] Japan 3-1221

[52] U.S. Cl. **D15/135**

[58] Field of Search D10/135; 205/73, 67, 205/72, 50, 70, 71, 68, 69

FIG. 1 is a perspective view of the design of the high speed electroforming system which is the subject of our invention;

FIG. 2 is a front view thereof;

FIG. 3 is a right view thereof, the left view being identical;

FIG. 4 is a rear view thereof;

FIG. 5 is a top view thereof;


FIG. 6 is a bottom view thereof; and,

FIG. 7 is an alternative perspective view similar to FIG. 1 of our design with the lid open.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 202,924 11/1965 Jacobs D15/135
4,696,721 9/1987 Higashino et al. 205/67






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.