



US00D337340S

United States Patent [19]

[11] Patent Number: **Des. 337,340**

Tanaka

[45] Date of Patent: **** Jul. 13, 1993**

[54] **VIDEO CAMERA WITH VIDEO TAPE RECORDER**

D. 331,767 12/1992 Yoshida D16/202
D. 331,935 12/1992 Tanaka D16/202
4,928,179 5/1990 Takahashi et al. 358/229

[75] Inventor: **Chifuyu Tanaka, Tokyo, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **778,612**

[22] Filed: **Oct. 18, 1991**

[30] **Foreign Application Priority Data**

Apr. 27, 1991 [JP] Japan 3-12676

[52] U.S. Cl. **D16/202**

[58] Field of Search **D16/200, 202, 203-206, D16/208; 352/34, 242, 243; 354/82, 288; 358/224, 229, 906**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 304,595 11/1989 Nishiyama et al. D16/202
D. 322,448 12/1991 Kondo D16/202

OTHER PUBLICATIONS

HFD, Jun. 15, 1987, p. 76 (GE Camcorder 9-9705).

Primary Examiner—B. J. Bullock

Assistant Examiner—Adir Aronovich

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a video camera with video tape recorder, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a video camera with video tape recorder showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

