



US00D337605S

United States Patent [19]

Tashiro et al.

[11] Patent Number: Des. 337,605

[45] Date of Patent: ** Jul. 20, 1993

[54] DOCUMENT FEEDER FOR IMAGE INPUT DEVICE

[75] Inventors: Naoki Tashiro, Tokyo; Hiroyuki Tokuda, Yokohama; Ryoko Mizuta, Kawasaki, all of Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 824,455

[22] Filed: Jan. 22, 1992

[30] Foreign Application Priority Data

Jul. 29, 1991 [JP] Japan 3-22658
[52] U.S. Cl. D18/49
[58] Field of Search D18/36-39,
D18/46, 49; 271/3, 3.1, 8.1, 9, 10, 18; 355/200,
308, 309; 358/498; 400/624-629

[56] References Cited

U.S. PATENT DOCUMENTS

D. 298,948 12/1988 Ishii et al. D18/49
D. 299,833 2/1989 Hirata D18/49
D. 322,626 12/1991 Imai D18/49

Primary Examiner—Alan P. Douglas

Assistant Examiner—Ann Hunt

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a document feeder for image input device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a document feeder for image input device showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7

