



US00D337676S

United States Patent [19]

[11] Patent Number: **Des. 337,676**

Hardy

[45] Date of Patent: **** Jul. 27, 1993**

- [54] **CARD BEAM DISPLAY RACK**
- [75] Inventor: **Stephen N. Hardy, Copley, Ohio**
- [73] Assignee: **American Greetings Corporation, Cleveland, Ohio**
- [**] Term: **14 Years**
- [21] Appl. No.: **861,492**
- [22] Filed: **Mar. 31, 1992**

2,443,320	6/1948	Meyer	211/56
2,730,322	1/1956	Haberland	248/127
3,181,706	5/1965	Mandel	211/163
3,428,186	2/1969	Michel	211/128 X
3,625,368	12/1971	Toms	211/169
3,838,266	9/1974	Jonathan	240/2 AD
3,915,306	10/1975	Desisto	211/169 X
3,924,749	12/1975	Weston	211/4
4,003,470	1/1977	Lagorio	211/50
4,079,841	3/1978	Castel	211/131
4,102,069	7/1978	Eckert	40/437
4,270,290	6/1981	Eckert	40/389
4,678,086	7/1987	Nervig	211/47
4,727,666	3/1988	Kyler	40/10 R

Related U.S. Application Data

- [62] Division of Ser. No. 334,982, Apr. 6, 1989, Pat. No. Des. 327,590.
- [52] U.S. Cl. **D6/491; D6/467**
- [58] Field of Search **D6/449, 454, 466, 467, D6/407, 408, 468, 475, 476, 491, 509, 511; 211/169, 128, 13, 40, 41**

Primary Examiner—Alan P. Douglas
Assistant Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Oldham, Oldham & Wilson

[57] CLAIM

The ornamental design for card beam display rack, as shown and described.


[56] References Cited

U.S. PATENT DOCUMENTS

D. 253,080	10/1979	Corrigan	D6/468
D. 327,590	7/1992	Hardy	D6/509 X
956,445	4/1910	Taylor .	
983,439	2/1911	Harr .	
1,007,678	11/1911	Edwards .	
1,049,886	1/1913	Manson .	
1,141,274	6/1915	Skall .	
1,381,525	6/1921	Wagoner .	
1,448,664	3/1923	Hull .	

DESCRIPTION

FIG. 1 is a front perspective view of my new design for a card beam for use in a display rack;
 FIG. 2 is a rear elevational view;
 FIG. 3 is a side elevational view, the other side view being a mirror image thereof;
 FIG. 4 is a front elevational view;
 FIG. 5 is a top plan view; and,
 FIG. 6 is a bottom plan view.








FIG 5



FIG 6




FIG 4




FIG 3