



US00D337708S

United States Patent [19]

[11] Patent Number: **Des. 337,708**

Morris, Jr.

[45] Date of Patent: **** Jul. 27, 1993**

[54] **COMBINED FINGER RING AND PULL-TOP CAN OPENER**

1,519,816 12/1924 Ward D8/40
4,869,134 9/1989 Sprecher 81/3.55
4,919,016 4/1990 Hanegraaf 81/3.41

[76] Inventor: **George A. Morris, Jr., 720 Fair Oaks Manor NW., Atlanta, Ga. 30327**

Primary Examiner—Bernard Ansher
Assistant Examiner—R. Barkai
Attorney, Agent, or Firm—Veal & Associates

[**] Term: **14 Years**

[21] Appl. No.: **868,788**

[57] **CLAIM**

[22] Filed: **Apr. 15, 1992**

The ornamental design for a combined finger ring and pull-top can opener, as shown and described.

[52] U.S. Cl. **D8/34**

[58] Field of Search D8/18, 33-34, D8/37, 39, 40-43; D11/26-28; 81/3.4, 3.07, 3.08, 3.09, 3.15, 3.29, 3.35, 3.36, 3.37, 3.41, 3.42, 3.43, 3.48, 3.55, 3.57; 7/151-152, 155-156; 30/416, 420, 422, 427, 450

DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 60,009 12/1921 Biehl D8/18
D. 291,050 7/1987 McIntire D8/40
D. 292,499 10/1987 Eddy D11/26
D. 303,915 10/1989 Knutson D8/18

FIG. 1 is a front perspective view of a combined finger ring and pull-top can opener showing my new design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a side elevational view thereof; and, FIG. 8 is a side elevational view opposite that shown in FIG. 7.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7




FIG. 8