



US00D337734S

United States Patent [19]

[11] Patent Number: **Des. 337,734**

Platt

[45] Date of Patent: **** Jul. 27, 1993**

[54] **SMOKE DETECTOR**

4,358,760 11/1982 Palmer .
4,682,148 8/1989 Kichline .

[76] Inventor: **James P. Platt**, 309 Joann Ct.,
Normal, Ill. 61761-4308

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Terry M. Gernstein

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **754,719**

The ornamental design for a smoke detector, as shown and described.

[22] Filed: **Sep. 4, 1991**

[52] U.S. Cl. **D10/106**

[58] Field of Search **D10/104, 106, 116, 121;**
340/570, 571, 572, 627, 628, 629, 630

DESCRIPTION


[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 241,824	12/1976	Mackay	D10/106
D. 246,635	12/1977	Boldt et al.	D10/106
D. 276,417	11/1984	Fenne	D10/106
D. 321,330	11/1991	Gagnon et al.	D10/106
4,305,069	12/1981	Machen	

FIG. 1 is a perspective view of the smoke detector embodying the design of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom view thereof.

The criss-cross lining which is shown in FIGS. 1 and 5 represents a conventional wire grill.






FIG. 2.





FIG. 3.






FIG. 4.




FIG. 5.

FIG. 6.

