



US00D337783S

United States Patent [19]

[11] Patent Number: **Des. 337,783**

Olswold et al.

[45] Date of Patent: **** Jul. 27, 1993**

[54] **STAND FOR PRINTERS AND FACSIMILE MACHINES**

[75] Inventors: **Charles L. Olswold, Muscatine; Lavern L. Weinschenk, Jr., Eldridge, both of Iowa**

[73] Assignee: **Hon Industries Inc., Muscatine, Iowa**

[**] Term: **14 Years**

[21] Appl. No.: **669,207**

[22] Filed: **Mar. 12, 1991**

[52] U.S. Cl. **D18/59**

[58] Field of Search 400/690-691, 400/613.2, 613.4; D15/141; D18/53, 59, 45; D6/411-415, 419-420, 429-430, 436, 449, 462-463, 474; D34/19-20; 211/11, 126; 248/174, 176, 459-460, 676; D19/77-78, 92; 229/111-112; 220/6; 206/214, 371, 505, 511, 561; 312/208

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 187,232	2/1960	Matyas	D6/436
D. 232,404	8/1974	Turner et al.	D6/436
D. 254,882	5/1980	Kempf	D6/436
D. 259,316	5/1981	Offredi	D6/436
D. 263,100	2/1982	Thompson	D6/129
D. 282,034	1/1986	Janke	D6/480
D. 285,632	9/1986	Axhamre	D6/474
D. 287,678	1/1987	Hatcher et al.	D6/429
D. 307,033	4/1990	Kirchner	D6/449
D. 314,211	1/1991	Bankier	D6/436

D. 317,015	5/1991	Bankier	D18/59
1,052,516	2/1913	Ringer	108/109
1,712,024	5/1929	Brogden	312/351
2,409,528	10/1946	Baunach	312/351
3,084,008	4/1963	Mallett	312/319
3,119,643	1/1964	Levi et al.	312/343
4,120,551	10/1978	Godtschalck	312/330
4,466,674	8/1984	La Rose	312/240.3
4,931,987	6/1990	Drake et al.	364/708

OTHER PUBLICATIONS

Bell Atlantic Business Supplies Catalog; 1987; p. 77, item Desk Top Plotter Stand MPLT675.

Global Computer Supplies Catalog; p. 130 item PC Workstation.

Bankier Companies, Inc., Laser Printer Organizer.

Primary Examiner—A. Hugo Word

Assistant Examiner—CathyAnne MacCormac

Attorney, Agent, or Firm—Leydig, Voit & Mayer, Ltd.

[57] **CLAIM**

The ornamental design for a stand for printers and facsimile machines, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the stand disclosing the new design, with the drawer closed; FIG. 2 is a top plan view thereof; FIG. 3 is a front view of FIG. 2; FIG. 4 is a side view taken from the left of FIG. 3 and the right side is identical; FIG. 5 is a rear view of FIG. 2; and, FIG. 6 is a perspective view of the stand disclosing the new design, with the drawer open.




Fig. 1





Fig. 6






Fig. 2

Fig. 3




Fig. 4




Fig. 5

