



US00D337997S

United States Patent [19]
Brunner et al.

[11] **Patent Number: Des. 337,997**

[45] **Date of Patent: ** Aug. 3, 1993**

[54] **FLOPPY DISK DRIVE**

[75] **Inventors:** Robert D. Brunner, San Jose; Matthew J. Barthelemy, San Francisco; Kenneth D. Wood, Woodside; William P. Jackson, Saratoga, all of Calif.

[73] **Assignee:** Apple Computer, Inc., Cupertino, Calif.

[**] **Term:** 14 Years

[21] **Appl. No.:** 773,396

[22] **Filed:** Oct. 3, 1991

[52] **U.S. Cl.** D14/109

[58] **Field of Search** D14/100, 102, 108, 109; D13/162, 184, 199; 360/99.12; 361/390-395

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 309,604 7/1990 Osaka et al. D14/109
- D. 323,820 2/1992 Gauldfeldt et al. D14/109
- D. 332,445 1/1993 Lin D14/109

OTHER PUBLICATIONS

MacWorld Dec. 1990 p. 74 Kennect Technology disk drives Group 290.

PC Magazine Jan. 30, 1990 p. 208 Micro Solutions/Megamate disk drive-Group 290.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Freda S. Nunn

Attorney, Agent, or Firm—Franklyn C. Weiss

[57] **CLAIM**

The ornamental design for a floppy disk drive, as shown and described.

DESCRIPTION

FIG. 1 is a front right side perspective view of a floppy disk drive showing our new design with the front cover closed;

FIG. 2 is a front right side perspective view thereof with the front cover opened;

FIG. 3 is a top view thereof with the front cover closed;

FIG. 4 is a bottom view thereof;


FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a front view thereof; and,

FIG. 8 is a rear view thereof.

The cord is shown broken away in the views to indicate indeterminate length.






FIG 1




FIG. 2

FIG 3





FIG 4






FIG 5




FIG 6

FIG 7




FIG 8

