



US00D338001S

United States Patent [19]

[11] Patent Number: **Des. 338,001**

Falkner et al.

[45] Date of Patent: **** Aug. 3, 1993**

[54] **POSITIONING DEVICE**

[75] Inventors: **Maria J. Falkner**, Littleton, Mass.;
Mark R. Wiesenbahn, Cincinnati,
Ohio; **Michael D. Good**, Arlington,
Mass.

[73] Assignee: **Digital Equipment Corporation**,
Maynard, Mass.

[**] Term: **14 Years**

[21] Appl. No.: **736,898**

[22] Filed: **Jul. 26, 1991**

[52] U.S. Cl. **D14/116**

[58] Field of Search **D14/113, 114, 116;**
235/441, 454, 455, 462, 465, 468, 472, 487, 491;
250/566, 568, 569; 340/870.3

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 319,436 8/1991 Matsushita D14/116
- D. 319,824 8/1991 Riddiford D14/116

- 3,963,901 6/1976 Gevas 235/472 X
- 4,115,703 9/1978 Dobras 235/472 X
- 4,604,065 8/1986 Frazer et al. 235/472 X
- 5,038,024 8/1991 Chadima, Jr. et al. 250/566 X


Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Barry Young; Richard J.
Paciulan

[57] **CLAIM**

The ornamental design for a positioning device, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a positioning device showing our new design; FIG. 2 is a top plan view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a rear elevational view thereon; and, FIG. 6 is the view of FIG. 1, the dotted line showing of a hand is for environmental purposes only and forms no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6