



US00D338020S

**United States Patent** [19]  
**Taft**

[11] **Patent Number: Des. 338,020**

[45] **Date of Patent: \*\* Aug. 3, 1993**

[54] **TRACK LINK**

[75] **Inventor: Morris E. Taft, Metamora, Ill.**

[73] **Assignee: Caterpillar, Inc., Peoria, Ill.**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 797,848**

[22] **Filed: Nov. 26, 1991**

[52] **U.S. Cl. .... D15/28**

[58] **Field of Search ..... D15/28; 305/35 R, 39, 305/54, 58 R**

**FOREIGN PATENT DOCUMENTS**

1229870 12/1966 Fed. Rep. of Germany .... 305/35 R

*Primary Examiner*—B. J. Bullock

*Assistant Examiner*—Sandra Morris

*Attorney, Agent, or Firm*—O. Gordon Pence

[57] **CLAIM**

The ornamental design for a track link, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side view of a track link, showing my new design;

FIG. 2 is a left side view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a front view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is an isometric view of the right side and top thereof; and,

FIG. 8 is an isometric view of the left side and bottom thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |                       |          |
|------------|---------|-----------------------|----------|
| D. 260,899 | 9/1981  | Joseph et al. ....    | D15/28   |
| 4,083,611  | 4/1978  | Schaffner et al. .... | 305/54   |
| 4,121,875  | 10/1978 | Stedman .....         | 305/39   |
| 4,141,602  | 2/1979  | Stedman .....         | 305/54   |
| 4,222,616  | 9/1980  | Brewer .....          | 305/54   |
| 4,423,910  | 1/1984  | Narang .....          | 305/39   |
| 4,449,357  | 5/1984  | Balitch .....         | 59/30    |
| 4,553,791  | 11/1985 | Blair .....           | 305/39   |
| 4,880,283  | 11/1989 | Savage et al. ....    | 305/35 R |




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.

