



US00D338067S

United States Patent [19]

[11] Patent Number: **Des. 338,067**

Luber et al.

[45] Date of Patent: **** Aug. 3, 1993**

- [54] **COMBINED FOOT AND LEG SPLINT**
- [75] Inventors: **George H. Luber, Tampa; Donna B. Mann, St. Petersburg, both of Fla.**
- [73] Assignee: **Care Co. Medical Products, Tampa, Fla.**
- [**] Term: **14 Years**
- [21] Appl. No.: **636,997**
- [22] Filed: **Jan. 3, 1991**
- [52] U.S. Cl. **D24/192**
- [58] Field of Search **D24/190, 191, 192; 602/27, 28, 23, 5, 10**

3,713,437	1/1973	Wiedmer	128/25
3,892,231	7/1975	Tummillo	128/80
3,916,886	11/1975	Rogers	128/80
3,976,059	8/1976	Lonardo	128/80
4,061,138	11/1977	Bernstein	128/82
4,177,583	12/1979	Chapman	36/77
4,289,122	9/1981	Mason	128/80
4,454,871	6/1984	Mann	128/80
4,454,872	6/1984	Brouhard	128/82
4,554,912	11/1985	Haberman	128/80
4,566,208	1/1986	Schaffner	36/110
4,809,687	2/1989	Allen	128/84
4,834,078	5/1989	Biedermann	128/80
4,841,957	6/1989	Wooten	128/80
5,052,128	10/1991	Lonardo	602/23 X

[56] **References Cited**

U.S. PATENT DOCUMENTS

Re. 33,762	12/1991	Lonardo	602/6 X
D. 257,594	12/1980	Finnieston	D24/64
D. 268,365	2/1983	Malkin	D24/64
D. 268,802	5/1983	Fenwick	D24/192 X
D. 269,908	7/1983	Payton	D24/192
D. 270,284	8/1983	Lindh	D24/64
D. 317,651	6/1991	Farris et al.	D24/192
D. 334,447	11/1900	Sadler .	
433,227	7/1990	Beacock .	
2,523,606	9/1950	Young	128/90
2,847,991	8/1958	Andrews	128/80
2,911,657	8/1957	Streeter, III	5/327
2,986,747	6/1969	Posey	5/92
3,263,679	8/1966	Hass	128/835
3,345,654	2/1966	Noble	5/319
3,351,055	11/1967	Gottfried	128/87
3,523,526	8/1970	Phelps	128/80
3,527,209	9/1970	Baker	128/80
3,584,622	6/1971	Domenico	128/166
3,589,359	6/1971	Hill	128/80
3,606,884	9/1971	Peter	128/80
3,618,946	11/1971	Lee	273/55
3,698,389	10/1972	Guedel	128/77

FOREIGN PATENT DOCUMENTS

937846 2/1953 Fed. Rep. of Germany .

OTHER PUBLICATIONS

Peabody Splint Jul. 1952.

Primary Examiner—Stella Reid

Attorney, Agent, or Firm—Laff, Whitesel, Conte & Saret

[57] **CLAIM**

The ornamental design for a combined foot and leg splint, as shown.

DESCRIPTION

FIG. 1 is a bottom perspective view of a combined foot and leg splint, showing our new design, the broken line showing is for illustrative purposes only and forms no part of the claimed design;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a right side elevational view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a rear elevational view thereof; and,

FIG. 7 is a top plan view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4

Fig. 5




Fig. 6




Fig. 7

