



US00D338076S

# United States Patent [19]

[11] Patent Number: **Des. 338,076**

Current

[45] Date of Patent: **\*\* Aug. 3, 1993**

[54] **EXTRUDED SLATWALL SECTION**

*Attorney, Agent, or Firm—Darby & Darby*

[75] Inventor: **Wayne Current, Holmdel, N.J.**

[57] **CLAIM**

[73] Assignee: **International Visual Corporation, Port Washington, N.Y.**

The ornamental design for an extruded slatwall section, as shown and described.

[\*\*] Term: **14 Years**

**DESCRIPTION**

[21] Appl. No.: **717,719**

FIG. 1 is a perspective view of an extruded slatwall section showing my new design;

[22] Filed: **Jun. 19, 1991**

FIG. 2 is a front view thereof;

[52] U.S. Cl. .... **D25/123; D25/138**

FIG. 3 is a leftside view thereof;

[58] Field of Search ..... **D25/123, 138, 58, 143, D25/157-159, 113; 52/264, 266, 537, 478, 482, 235, 510, 551, 508, 550, 541, 386, 443, 474, 478, 540, 518-524, 536, 546, 595, 311-314**

FIG. 4 is a rightside view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a top view of an extruded slatwall section according to my new design;

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|           |         |                   |         |
|-----------|---------|-------------------|---------|
| 2,511,074 | 6/1950  | Miller .....      | 52/537  |
| 4,512,131 | 4/1985  | Laramore .....    | 52/595  |
| 4,557,096 | 12/1985 | Horde .....       | 52/518  |
| 4,718,562 | 1/1988  | Winkler, Jr. .... | D25/123 |
| 4,825,618 | 5/1989  | Blevins .....     | 52/595  |
| 5,029,425 | 7/1991  | Bogataj .....     | 52/478  |

FIG. 7 is a perspective view of another embodiment of an extruded slatwall section showing my new design;

FIG. 8 is a front view thereof;

FIG. 9 is a leftside view thereof;


FIG. 10 is a rightside view thereof;

FIG. 11 is a rear view thereof; and,

FIG. 12 is a top view of a second embodiment of an extruded slatwall section according to my new design.

*Primary Examiner—A. Hugo Word*  
*Assistant Examiner—Doris Clark*

The extruded slatwall section is broken away in the center in FIGS. 1 through 5 and FIGS. 7 through 11 to disclose indeterminate length.






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.



Fig. 9.



Fig. 10.




Fig. 11.

Fig. 12.

