



US00D338119S

United States Patent [19]

[11] Patent Number: **Des. 338,119**

Merrick

[45] Date of Patent: **** Aug. 10, 1993**

- [54] SEAT MOUNTING BAR
- [75] Inventor: **David Merrick**, Indianapolis, Ind.
- [73] Assignee: **Indiana Mills & Manufacturing, Inc.**,
Westfield, Ind.
- [**] Term: **14 Years**
- [21] Appl. No.: **804,172**
- [22] Filed: **Dec. 9, 1991**
- [52] U.S. Cl. **D6/500; D6/491;**
D12/155
- [58] Field of Search **D6/491, 500-502;**
D2/624; D11/200; D12/178; 280/801, 804,
808; 5/425-428

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 226,150	1/1973	Pawsat	D12/178
4,169,614	10/1979	Ellens	280/801
4,331,349	5/1982	Funahashi	280/801
4,622,705	11/1986	Joubert	5/425 X
4,915,414	4/1990	Weman	280/801
5,064,220	11/1991	Ogawa	280/801

FOREIGN PATENT DOCUMENTS

2003020	7/1978	United Kingdom	280/808
---------	--------	----------------	-------	---------

Primary Examiner—Nelson C. Holtje
Assistant Examiner—J. E. Seeger


Attorney, Agent, or Firm—Woodard, Emhardt,
Naughton, Moriarty & McNett

[57] **CLAIM**

The ornamental design for a seat mounting bar, as shown and described.

DESCRIPTION

FIG. 1 is a plan view of the preferred embodiment of the seat mounting bar incorporating my new design; FIG. 2 is a front view of the bar of FIG. 1; FIG. 3 is a right side view of the bar of FIG. 1 with the left side view being a mirror image thereof; FIG. 4 is a rear view of the bar of FIG. 1; FIG. 5 is a bottom view of the bar of FIG. 1; FIG. 6 is a plan view of a first alternate embodiment of a seat mounting bar incorporating my new design; FIG. 7 is a front view of the bar of FIG. 6; FIG. 8 is a right side view of the bar of FIG. 6 with the left side view being a mirror image thereof; FIG. 9 is a rear view of the bar of FIG. 6; FIG. 10 is a bottom view of the bar of FIG. 6; FIG. 11 is a plan view of a second alternate embodiment of a seat mounting bar incorporating my new design; FIG. 12 is a front view of the bar of FIG. 11; FIG. 13 is a right side view of the bar of FIG. 11 with the left side view being a mirror image thereof; FIG. 14 is a rear view of the bar of FIG. 11; and, FIG. 15 is a bottom view of the bar of FIG. 11.






Fig. 1




Fig. 3




Fig. 2




Fig. 4




Fig. 5




Fig. 8




Fig. 6



Fig. 7




Fig. 9




Fig. 10




Fig. 13




Fig. 11




Fig. 12




Fig. 14




Fig. 15