



US00D338142S

United States Patent [19]

[11] Patent Number: Des. 338,142

Sarkissian

[45] Date of Patent: ** Aug. 10, 1993

[54] DESIGN FOR WELDING TORCH

[75] Inventor: Vicken R. Sarkissian, Woodland Hills, Calif.

[73] Assignee: Delaware Capital Formation, Inc., Burbank, Calif.

[**] Term: 14 Years

[21] Appl. No.: 648,422

[22] Filed: Jan. 18, 1991

[52] U.S. Cl. D8/30

[58] Field of Search D8/29.1, 30; 228/19, 228/20; 219/136, 137.2, 138, 75

[56] References Cited

U.S. PATENT DOCUMENTS

D. 237,139	10/1975	Fortune	D8/30
D. 302,097	7/1989	Spaulding et al.	D8/30
D. 307,958	5/1990	Fortune	D8/30
D. 326,594	6/1992	Haberman	D8/30
4,361,747	11/1982	Torrani	219/75
4,423,304	12/1983	Bass et al.	219/75

Primary Examiner—Alan P. Douglas

Assistant Examiner—J. H. Musgrove

Attorney, Agent, or Firm—Jessup, Beecher & Slehofer

[57] CLAIM

The ornamental design for welding torch, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a torch representing the design of this invention;

FIG. 2 is a front end view of the torch looking at the left end of FIG. 1;

FIG. 3 is a right side view of the torch of FIG. 1. The left side is substantially identical;

FIG. 4 is an end view of the torch looking at the right end of FIG. 1.


FIG. 5 is a top view;

FIG. 6 is a bottom view;

FIG. 7 is an isometric view, similar to FIG. 1, showing a variant of the design, in which the body portion is longer and the electrode is directed at substantially a right angle;

FIG. 8 is an isometric view similar to FIG. 7 showing another variant of the design, in which the body portion is even longer and the electrode is directed at a 45 degree angle; and,

FIG. 9 is a variant of the torch illustrating a diffuser screen which is placed within the head of the torch.






Fig. 1



Fig. 2.



Fig. 4.




Fig. 3.




Fig. 5.




Fig. 6.




Fig. 7.

Fig. 8.

Fig. 9.