



US00D338223S

# United States Patent [19]

[11] Patent Number: **Des. 338,223**

Mine

[45] Date of Patent: **\*\* Aug. 10, 1993**

[54] **PROTECTIVE CAP FOR SUPPORT FOOT OF MUSICAL INSTRUMENT**

D. 327,421	6/1992	Pagan	.....	D8/376
2,744,283	5/1956	Reineman	.....	248/188.9
4,688,463	8/1987	Kurosaki	.....	84/421
4,869,147	9/1989	Hoshino	.....	84/421

[75] Inventor: **Ikuro Mine, Hamamatsu, Japan**

[73] Assignee: **Yamaha Corporation, Shizuoka, Japan**

### FOREIGN PATENT DOCUMENTS

908325 10/1962 United Kingdom ..... 248/188.9

[\*\*] Term: **14 Years**

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Weingarten, Schurgin, Gagnebin & Hayes

[21] Appl. No.: **775,240**

[22] Filed: **Oct. 10, 1991**

### [57] CLAIM

### [30] Foreign Application Priority Data

Apr. 15, 1991 [JP] Japan ..... 3-10904

The ornamental design for a protective cap for support foot of musical instrument, as shown.

[52] U.S. Cl. .... **D17/99; D6/495; 248/188.9**

### DESCRIPTION

[58] Field of Search ..... **D6/491, 495-499; D8/374-376; D17/9, 20, 22, 99; 84/421; 248/188.9, 345.1, 615**

FIG. 1 is a top, front perspective view of a protective cap for support foot of musical instrument showing my new design;

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 45,196 2/1914 Lawson ..... D8/374  
D. 317,232 6/1991 Vogtherr et al. .... D6/491

FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof; and,  
FIG. 6 is a left-side view thereof.




FIG. 1




FIG. 3



FIG. 2




FIG. 5




FIG. 4




FIG. 6

