



US00D338266S

United States Patent [19]
Kimberlin

[11] **Patent Number: Des. 338,266**
[45] **Date of Patent: ** Aug. 10, 1993**

- [54] **AIR DISTRIBUTOR FOR A PERCUSSIVE FLUID-ACTIVATED APPARATUS**
- [75] **Inventor: Robert R. Kimberlin, Troutville, Va.**
- [73] **Assignee: Ingersoll-Rand Company, Woodcliff Lake, N.J.**
- [**] **Term: 14 Years**
- [21] **Appl. No.: 604**
- [22] **Filed: Oct. 9, 1992**
- [52] **U.S. Cl. D23/390**
- [58] **Field of Search D23/386-393; 454/292**

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- D. 317,819 6/1991 Sello D23/390
- 5,001,968 3/1991 Sodec et al. 454/292

Primary Examiner—Wallace R. Burke
Assistant Examiner—Lisa Lichtenstein
Attorney, Agent, or Firm—John J. Selko


[57] **CLAIM**

The ornamental design for an air distributor for a percussive fluid-activated apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an air distributor for

a percussive fluid-activated apparatus, showing my new design;
 FIG. 2 is a front elevation view thereof, on a reduced scale, the rear being identical;
 FIG. 3 is a right side elevation view thereof, on a reduced scale, the left side being identical;
 FIG. 4 is a top plan view thereof, on a reduced scale;
 FIG. 5 is a bottom plan view thereof, on a reduced scale;
 FIG. 6 is a top perspective view of an air distributor for a percussive fluid-activated apparatus, showing a second embodiment of my new design;
 FIG. 7 is a front elevation view of FIG. 6, on a reduced scale, the rear being identical;
 FIG. 8 is a right side elevation view of FIG. 6, on a reduced scale, the left side being identical;
 FIG. 9 is a top plan view of FIG. 6, on a reduced scale;
 FIG. 10 is a bottom plan view of FIG. 6, on a reduced scale;
 FIG. 11 is a top perspective view of an air distributor for a percussive fluid-activated apparatus, showing a third embodiment of my new design;
 FIG. 12 is a front elevation view of FIG. 11, on a reduced scale, the rear being identical;
 FIG. 13 is a right side elevation view of FIG. 11, on a reduced scale, the left side being identical;
 FIG. 14 is a top plan view of FIG. 11, on a reduced scale;
 FIG. 15 is a bottom plan view of FIG. 11, on a reduced scale; and,
 FIG. 16 is a bottom perspective view of the first embodiment, shown in FIG. 1.






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16