



US00D338272S

United States Patent [19]

[11] Patent Number: **Des. 338,272**

Cunagin et al.

[45] Date of Patent: **** Aug. 10, 1993**

[54] CABINET FOR A SEISMOCARDIOGRAPH

[56]

References Cited

U.S. PATENT DOCUMENTS

[75] Inventors: **Danny J. Cunagin, Minneapolis; Sandra J. Garlough, Plymouth; Antoinette M. Grabinger, Maple Grove; Eric J. Mueller, St. Paul; Eugene N. Reshanov, Golden Valley; John M. Zanetti, Long Lake, all of Minn.**

D. 260,173 8/1981 Wiebe D24/167
D. 328,133 7/1992 Kaufman et al. D24/186
4,989,611 2/1991 Zanetti et al. 128/695

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Merchant, Gould, Smith, Edell, Welter & Schmidt

[73] Assignee: **Seismed Instruments, Inc., Minneapolis, Minn.**

[57]

CLAIM

The ornamental design for a cabinet for a seismocardiograph, as shown and described.

[**] Term: **14 Years**

DESCRIPTION

[21] Appl. No.: **660,901**

FIG. 1 is a top, front, and right side perspective view of a cabinet for a seismocardiograph showing my new design;

[22] Filed: **Mar. 1, 1991**

[52] U.S. Cl. **D24/167; D24/186**

FIG. 2 is a front elevational view;

FIG. 3 is a back elevational view;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

[58] Field of Search **D24/167, 169, 186;**

128/695, 696, 699, 700, 710, 715

FIG. 6 is a top plan view thereof; and,

FIG. 8 is a bottom plan view there.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

