



US00D338316S

# United States Patent [19]

[11] Patent Number: **Des. 338,316**

**Nakaue**

[45] Date of Patent: **\*\* Aug. 10, 1993**

[54] **FIRE-RESISTING SAFE**

[56] **References Cited**

[75] Inventor: **Kazuo Nakaue, Hiroshima, Japan**

**U.S. PATENT DOCUMENTS**

D. 286,124	10/1986	Dempsey .....	D7/540
1,985,869	12/1934	Millice .....	109/45
4,457,240	7/1984	Hungerford .....	109/45

[73] Assignee: **Kumahira Safe Co., Ltd., Hiroshima, Japan**

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—J. H. Musgrove  
*Attorney, Agent, or Firm*—Cushman, Darby & Cushman

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **773,845**

The ornamental design for a fire-resisting safe, as shown and described.


[22] Filed: **Oct. 11, 1991**

**DESCRIPTION**


[30] **Foreign Application Priority Data**

Aug. 9, 1991	[JP]	Japan .....	3-24249
[52]	U.S. Cl. ....	<b>D99/28; D99/5</b>	
[58]	Field of Search .....	D99/28, 5; D7/538, 540, D7/541, 542; 109/45-66	


FIG. 1 is a typical side elevational view of a fire-resisting safe showing my new design;  
FIG. 2 is a top plan view;  
FIG. 3 is a bottom plan view; and,  
FIG. 4 is a cross-section of elevational view to explain inner structure of the present design.



*FIG. 1*



*FIG. 2*



*FIG. 3*




FIG. 4

