



US00D338316S

United States Patent [19]

[11] Patent Number: **Des. 338,316**

Nakaue

[45] Date of Patent: **** Aug. 10, 1993**

[54] **FIRE-RESISTING SAFE**

[56] **References Cited**

[75] Inventor: **Kazuo Nakaue, Hiroshima, Japan**

U.S. PATENT DOCUMENTS

D. 286,124	10/1986	Dempsey	D7/540
1,985,869	12/1934	Millice	109/45
4,457,240	7/1984	Hungerford	109/45

[73] Assignee: **Kumahira Safe Co., Ltd., Hiroshima, Japan**

Primary Examiner—Alan P. Douglas
Assistant Examiner—J. H. Musgrove
Attorney, Agent, or Firm—Cushman, Darby & Cushman

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **773,845**

The ornamental design for a fire-resisting safe, as shown and described.

[22] Filed: **Oct. 11, 1991**

DESCRIPTION

[30] Foreign Application Priority Data

Aug. 9, 1991	[JP]	Japan	3-24249
[52]	U.S. Cl.		D99/28; D99/5
[58]	Field of Search	D99/28, 5; D7/538, 540, D7/541, 542; 109/45-66	

FIG. 1 is a typical side elevational view of a fire-resisting safe showing my new design;
FIG. 2 is a top plan view;
FIG. 3 is a bottom plan view; and,
FIG. 4 is a cross-section of elevational view to explain inner structure of the present design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

