



US00D338383S

# United States Patent [19]

[11] Patent Number: **Des. 338,383**

**Edlund**

[45] Date of Patent: **\*\* Aug. 17, 1993**

[54] **VIBRATION ISOLATOR**

[75] Inventor: **Dag Edlund, Huskvarna, Sweden**

[73] Assignee: **Aktiebolaget Electrolux, Stockholm, Sweden**

[\*\*] Term: **14 Years**

[21] Appl. No.: **703,133**

[22] Filed: **May 17, 1991**

[30] **Foreign Application Priority Data**

Nov. 20, 1990 [SE] Sweden ..... 902484

[52] U.S. Cl. .... **D8/71**

[58] Field of Search ..... **D8/71; 267/166, 166.1, 267/64.11**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

1,751,261	3/1930	Wilson .....	267/166.1
2,751,179	6/1956	Oravec .....	267/166.1
3,751,025	8/1973	Beery et al. ....	267/166.1
4,111,407	9/1978	Stager .....	267/166.1

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—J. H. Musgrove  
*Attorney, Agent, or Firm*—Pearne, Gordon, McCoy & Granger

[57] **CLAIM**

The ornamental design for a vibration isolator, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a vibration isolator showing my new design;

FIG. 2 is a bottom view of the same;

FIG. 3 is a perspective top view of the same;


FIG. 4 is a perspective bottom view of the same;

FIG. 5 is a vertical projection of the front side of the same;

FIG. 6 is a vertical projection of the rear side of the same;

FIG. 7 is a vertical projection of the left side of the same; and,

FIG. 8 is a vertical projection of the right side of the same.






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.7




Fig.6




Fig.8