



US00D338394S

**United States Patent** [19]  
**Lancaster**

[11] **Patent Number: Des. 338,394**  
[45] **Date of Patent: \*\* Aug. 17, 1993**

[54] **ELONGATED BARRIER FOR A DOOR OR A WINDOW**

[76] **Inventor: Robert S. Lancaster, 6400 SW.  
Parkhill Way, Portland, Oreg. 97201**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 660,594**

[22] **Filed: Feb. 25, 1991**

[52] **U.S. Cl. .... D8/402**

[58] **Field of Search ..... D8/402; 248/351, 354.5;  
292/339**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 221,131	7/1971	Germock, Jr. ....	D8/402
D. 230,701	3/1974	Lewis et al. ....	D8/402
2,296,217	9/1942	Maloney ....	248/351
4,139,227	2/1979	Spurr ....	292/339
4,231,599	11/1980	Gayman ....	292/339
4,676,536	6/1987	Arbic et al. ....	292/339
4,868,943	9/1989	Robichard ....	248/354.5

*Primary Examiner—A. Hugo Word*

*Assistant Examiner—Doris Clark*  
*Attorney, Agent, or Firm—Klarquist, Sparkman,  
Campbell, Leigh & Whinston*

[57] **CLAIM**

The ornamental design for elongated barrier for a door or a window, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the invention in a folded and retracted configuration;

FIG. 2 is a perspective view of the invention in a fully open and extended configuration;

FIG. 3 is an elevational view of the right side of the invention shown in FIG. 1;


FIG. 4 is a bottom view of the invention shown in FIG. 1;

FIG. 5 is a top view of the invention shown in FIG. 1;


FIG. 6 is an elevational view of the left side of the invention shown in FIG. 1;

FIG. 7 is a left end view of the invention shown in FIG. 1; and,


FIG. 8 is a right end view of the invention shown in FIG. 1.



*Fig. 1*



*Fig. 2*







*Fig. 4*



*Fig. 3*

*Fig. 5*

*Fig. 6*



*Fig. 7*



*Fig. 8*