



US00D338413S

United States Patent [19]

[11] Patent Number: Des. 338,413

Ciambella

[45] Date of Patent: ** Aug. 17, 1993

[54] TEMPERATURE INDICATOR FOR USE ON A CONTAINER

4,601,588 7/1986 Takahara .
4,723,656 2/1988 Kiernan .
4,735,745 4/1988 Preziosi et al. 374/162 X
4,891,250 1/1990 Weibe .

[76] Inventor: David Ciambella, 5 Mill Bend Rd., Levittown, Pa. 19056

FOREIGN PATENT DOCUMENTS

[**] Term: 14 Years

2321395 2/1977 France .
1138590 7/1966 United Kingdom .

[21] Appl. No.: 680,281

Primary Examiner—Alan P. Douglas
Assistant Examiner—A. D. Davis
Attorney, Agent, or Firm—Terry M. Gernstein

[22] Filed: Apr. 4, 1991

[52] U.S. Cl. D10/57

[58] Field of Search D10/57, 60, 68; D18/10; D21/5, 6, 22, 39; 374/161, 162, 208, 209, 210

[57] CLAIM

The ornamental design for a temperature indicator for use on a container, as shown and described.


[56] References Cited

U.S. PATENT DOCUMENTS

D. 22,723 8/1893 Townsend D10/68
D. 196,122 8/1963 Wells D21/39 X
D. 246,032 10/1977 McLeod D10/57
D. 676,807 6/1901 Weston D21/39 X
3,661,142 5/1972 Flam 374/162
3,893,340 7/1975 Parker .
4,030,482 6/1977 Navato 374/162
4,232,684 11/1980 Chervitz D10/57 X
4,448,823 5/1984 Clifford .
4,459,046 7/1984 Spirg D10/57 X

DESCRIPTION

FIG. 1 is a perspective view of the temperature indicator for use on a container embodying the design of the present invention, the temperature indicator's backing is shown partially removed;
FIG. 2 is a top plan view thereof;
FIG. 3 is a rear view thereof; and,
FIG. 4 is a typical side elevational view thereof, all side elevational views being identical to the side view shown in FIG. 4.







FIG. 1.

FIG. 2.






FIG. 3.



FIG. 4.