



US00D338471S

United States Patent [19]

Evenson et al.

[11] Patent Number: Des. 338,471

[45] Date of Patent: ** Aug. 17, 1993

[54] WALL MOUNTED HOLDER FOR A TELEPHONE

[75] Inventors: Mel Evenson, San Pedro; Jerry Sharber, Cypress, both of Calif.

[73] Assignee: Rubbermaid Office Products Group Inc., Inglewood, Calif.

[**] Term: 14 Years

[21] Appl. No.: 702,725

[22] Filed: May 20, 1991

[52] U.S. Cl. D14/251

[58] Field of Search D14/140, 142, 251, 253, D14/254, 240; 379/454, 455, 446, 441; D8/349, 380, 381; D19/87; D6/567, 574; 211/13, 71, 88, 90; 248/317, 339

[56] References Cited

U.S. PATENT DOCUMENTS

D. 211,218 5/1968 Gafford D74/1
D. 265,559 7/1982 Janda D14/149
D. 275,483 9/1984 Genaro et al. D14/149
D. 277,664 2/1985 Wilt D14/251
D. 279,636 7/1985 Barnett D6/509
D. 283,394 4/1986 Evenson D8/363
D. 284,005 5/1986 Isaacs D14/251
D. 289,394 4/1987 Brown D14/149
D. 289,898 5/1987 Miller D14/250
D. 292,264 10/1987 Miller D8/380
D. 297,534 9/1988 Daniels et al. D14/149
D. 301,143 5/1989 Jackwicz et al. D14/142
D. 306,964 4/1990 Zupancic D8/354
D. 309,917 8/1990 Miller D19/76
D. 311,829 11/1990 Vossoughi D6/418

D. 319,440 8/1991 Soren D14/251 X
D. 323,504 1/1992 Langton D14/148 X
506,223 10/1893 Gold .
874,014 12/1907 Kurtzon .
1,540,677 6/1925 Balmer .
2,534,952 12/1950 Comer 248/243
2,940,603 6/1960 Riedmaier et al. 211/136
3,097,746 7/1963 Handler et al. 211/126
3,436,855 4/1969 Foley 40/336
3,548,117 12/1970 Blomberg 179/146
3,715,519 2/1973 O'Leary 179/100
3,726,411 4/1973 Jones 211/126
3,845,252 10/1974 Wooters 179/146 R
4,033,652 7/1977 O'Brien 312/245
4,085,848 4/1978 Tsuge 211/45
4,131,203 12/1978 Bridges 211/88
4,527,018 7/1985 Offredi 179/146

Primary Examiner—Alan P. Douglas

Assistant Examiner—Jeffrey Asch


Attorney, Agent, or Firm—Richard B. O'Planick; Lisa B. Riedesel

[57] CLAIM

The ornamental design for a wall mounted holder for a telephone, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a wall mounted holder for a telephone showing my new design;
FIG. 2 is a rear elevational view;
FIG. 3 is a right side elevational view, the left side being a mirror image;
FIG. 4 is a top plan view;
FIG. 5 is a bottom plan view; and,
FIG. 6 is a perspective view thereof.






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6