



US00D338491S

United States Patent [19]

[11] Patent Number: **Des. 338,491**

Hollington

[45] Date of Patent: **** Aug. 17, 1993**

[54] WRITING INSTRUMENT

[75] Inventor: **Geoffrey A. Hollington, London, England**

[73] Assignee: **Parker Pen (Benelux) B.V., Netherlands**

[**] Term: **14 Years**

[21] Appl. No.: **692,079**

[22] Filed: **Apr. 26, 1991**

[30] Foreign Application Priority Data

Jan. 16, 1991 [GB]	United Kingdom	2012374
[52] U.S. Cl.	D19/50; D19/51;	
	D19/56; D19/48	
[58] Field of Search	D19/35, 36, 41-51,	
	D19/54-58, 81-85; 401/99, 101, 102, 103, 104,	209

[56] References Cited

U.S. PATENT DOCUMENTS

D. 88,821	12/1932	Platt et al.	D19/56
D. 223,130	3/1972	Green	D19/75 X

OTHER PUBLICATIONS

Jacobs Gardner Office Products® 1988, see p. 548, circled Parker Pen.

Guernsey Office Products® 1988, see p. 574, circled pen lower left.

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Martha Thompson
Attorney, Agent, or Firm—Andrus, Scales, Starke & Sawall


[57] CLAIM

The ornamental design for a writing instrument, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a writing instrument showing my new design;
 FIG. 2 is a side view of the writing instrument of FIG. 1;
 FIG. 3 is a rear view of the writing instrument of FIG. 1;
 FIG. 4 is an enlarged bottom view of the writing instrument of FIG. 1;
 FIG. 5 is an enlarged top view of the writing instrument of FIG. 1;
 FIG. 6 is a perspective view of the writing instrument of FIG. 1;
 FIG. 7 is a front elevational view of a second embodiment of my new design;
 FIG. 8 is a side view of the writing instrument of FIG. 7;
 FIG. 9 is a rear view of the writing instrument of FIG. 7;
 FIG. 10 is an enlarged bottom view of the writing instrument of FIG. 7;
 FIG. 11 is an enlarged top view of the writing instrument of FIG. 7;
 FIG. 12 is a perspective view of the writing instrument of FIG. 7;
 FIG. 13 is an enlarged, fragmentary, front elevational view of FIG. 1; and,
 FIG. 14 is an enlarged, fragmentary, left side elevational view of FIG. 1.

The characteristic feature of the design resides in the particularly configured clip member as best illustrated in FIGS. 12, 13 and 14.






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 6




FIG. 5



FIG. 7



FIG. 8




FIG. 9




FIG. 10





FIG. 12

FIG. 11






FIG. 13




FIG. 14