



US00D338552S

United States Patent [19]

[11] Patent Number: **Des. 338,552**

Carrico et al.

[45] Date of Patent: **** Aug. 24, 1993**

[54] SEAT BELT PAD

4,348,037	9/1982	Law et al.	280/733
4,678,205	7/1987	Wold	297/482
4,741,574	5/1988	Weightman et al.	297/482

[76] Inventors: **Thomas M. Carrico**, 414 Ambrose Dr., Clarksville, Tenn. 37042; **Cadena C. Carrico**, 173 D 25th St., Ft. Eustis, Va. 23604; **David J. Schwenk**, 414 Ambrose Dr., Clarksville, Tenn. 37042; **Deborah A. Schwenk**, 152 H Stilwell, Fort Eustis, Va. 23604

FOREIGN PATENT DOCUMENTS

2949136	5/1981	Fed. Rep. of Germany	297/482
581996	12/1980	United Kingdom	297/482

OTHER PUBLICATIONS

Lettraset 1983 p. 258 bottom right LT342.

Primary Examiner—Bernard Ansher
Assistant Examiner—Paula A. Mortimer
Attorney, Agent, or Firm—Leon Gilden

[**] Term: **14 Years**

[21] Appl. No.: **651,914**

[22] Filed: **Feb. 7, 1991**

[52] U.S. Cl. **D2/639**

[58] Field of Search **D2/639; D3/100, 106, D3/37.10; 224/224; 297/482, 483; 280/801, 733; D24/124, 125; D11/25, 93; D6/596; D12/155; D22/111**

[57] CLAIM

The ornamental design for a seat belt pad, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the seat belt pad showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof; and,
 FIG. 7 is a front elevational view of a seat belt pad in an open position thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 256,757	9/1980	Stahel, II	D7/624
D. 287,881	1/1987	Ternstrom	D24/125
D. 312,921	12/1990	Chang	D2/639
2,643,380	6/1953	Blair	297/482
3,291,528	12/1966	Sencabaugh	297/482




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

