



US00D338688S

United States Patent [19]

[11] Patent Number: **Des. 338,688**

Mori et al.

[45] Date of Patent: **** Aug. 24, 1993**

[54] **IDENTIFICATION TAG FOR ELECTRIC WIRE**

1,607,894	11/1926	Johnson	40/658
1,987,226	1/1935	Boden	446/207
4,268,986	5/1981	Piana	40/626
4,947,568	8/1990	DeBarbieri	40/316

[75] Inventors: **Katsuhisa Mori, Osaka; Keiji Sonoda, Nara; Hideo Miyata, Neyagawa, all of Japan**

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Edwin E. Greigg; Ronald E. Greigg

[73] Assignee: **Nichifu Terminal Manufacture Co., Ltd., Osaka, Japan**

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **603,818**

The ornamental design for an identification tag for electric wire, as shown and described.

[22] Filed: **Oct. 24, 1990**

DESCRIPTION

[30] **Foreign Application Priority Data**

Apr. 25, 1990 [JP] Japan 2-14445

[52] U.S. Cl. **D20/22**


[58] Field of Search D20/22, 23, 27, 28, D20/42, 43; 40/1, 1.5, 299, 316, 317, 321, 334, 626, 658; 446/207

FIG. 1 is a top plan view of an identification tag for electric wire showing our new design with the broken line showing for illustrative purposes only and forming no part of the claimed design;
FIG. 2 is a bottom plan view;
FIG. 3 is a front elevational view;
FIG. 4 is a rear elevational view;
FIG. 5 is a right side elevational view, a left side view being substantially identical;
FIG. 6 is a left side cross-sectional view;
FIG. 7 is a top, front perspective view; and,
FIG. 8 is a bottom, front perspective view.

[56] **References Cited**

U.S. PATENT DOCUMENTS

1,298,981	4/1919	Noughridge	40/316
1,540,320	6/1925	Everett et al.	40/316






FIG. 1



FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8