



US00D338700S

# United States Patent [19]

[11] Patent Number: **Des. 338,700**

Webb

[45] Date of Patent: **\*\* Aug. 24, 1993**

[54] **BOWLING PIN HANDLING DEVICE**

3,481,601 12/1969 Santora ..... 273/54 R  
4,058,309 11/1977 Hunley .  
4,198,473 4/1980 Camilleri .

[76] Inventor: **William R. Webb**, 12 Don La.,  
Selden, N.Y. 11784

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Prabhakar Deshmukh  
*Attorney, Agent, or Firm*—Terry M. Gernstein

[\*\*] Term: **14 Years**

[21] Appl. No.: **683,651**

[57] **CLAIM**

[22] Filed: **Apr. 11, 1991**

The ornamental design for a bowling pin handling de-  
vice, as shown and described.

[52] U.S. Cl. .... **D21/233**

[58] Field of Search ..... **D21/233; 273/42 R, 42 A,  
273/43 R, 43 A, 43 D, 43 E, 46, 54 R, 54 A, 54  
E**


**DESCRIPTION**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 309,917 8/1990 Beirise et al. .... **D19/75 X**  
3,014,749 12/1961 Carrow ..... **273/54 R**  
3,018,103 1/1962 Albrecht .  
3,153,538 10/1964 Rogers ..... **273/43 D**

FIG. 1 is a perspective view of a bowling pin handling  
device showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof; the left  
side elevational view being a mirror image thereof;  
FIG. 5 is top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.






FIG. 1.

FIG. 2.





FIG. 4.






FIG. 3.




FIG. 5.




FIG. 6.