



US00D338700S

United States Patent [19]

[11] Patent Number: **Des. 338,700**

Webb

[45] Date of Patent: **** Aug. 24, 1993**

[54] **BOWLING PIN HANDLING DEVICE**

3,481,601 12/1969 Santora 273/54 R
4,058,309 11/1977 Hunley .
4,198,473 4/1980 Camilleri .

[76] Inventor: **William R. Webb**, 12 Don La.,
Selden, N.Y. 11784

[**] Term: **14 Years**

Primary Examiner—Bernard Ansher
Assistant Examiner—Prabhakar Deshmukh
Attorney, Agent, or Firm—Terry M. Gernstein

[21] Appl. No.: **683,651**

[57] **CLAIM**

[22] Filed: **Apr. 11, 1991**

The ornamental design for a bowling pin handling de-
vice, as shown and described.

[52] U.S. Cl. **D21/233**

[58] Field of Search **D21/233; 273/42 R, 42 A,
273/43 R, 43 A, 43 D, 43 E, 46, 54 R, 54 A, 54
E**


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 309,917 8/1990 Beirise et al. **D19/75 X**
3,014,749 12/1961 Carrow **273/54 R**
3,018,103 1/1962 Albrecht .
3,153,538 10/1964 Rogers **273/43 D**

FIG. 1 is a perspective view of a bowling pin handling device showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof; the left side elevational view being a mirror image thereof;
FIG. 5 is top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.






FIG. 1.

FIG. 2.





FIG. 4.






FIG. 3.




FIG. 5.




FIG. 6.