



US00D338735S

United States Patent [19]

[11] Patent Number: **Des. 338,735**

Gladhill

[45] Date of Patent: **** Aug. 24, 1993**

[54] **BATTERY POWERED LIGHT FOR A DOOR KNOB**

4,914,554 4/1990 Sowers 362/100

[76] Inventor: **Miles W. Gladhill, 26239 Knief Rd., Rock Falls, Ill. 61071**

FOREIGN PATENT DOCUMENTS

243264 1/1911 Fed. Rep. of Germany .
341674 9/1930 United Kingdom .

[**] Term: **14 Years**

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Terry M. Gernstein

[21] Appl. No.: **702,700**

[57] CLAIM

[22] Filed: **May 20, 1991**

The ornamental design for a battery powered light for a door knob, as shown and described.

[52] U.S. Cl. **D26/37; D8/321**

[58] Field of Search **D26/37-50;**
362/100, 157, 158, 183-191, 196, 197, 198, 199,
200, 202, 205

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS


D. 211,398	6/1968	Hall	D8/322
2,005,274	6/1935	Taylor	362/100
2,676,244	4/1954	Dittman	362/100
3,719,821	3/1973	Foreman .	
3,955,075	5/1976	Susedik .	
4,745,527	5/1988	Belverio, Jr.	362/189 X
4,777,570	10/1988	Little	362/100

FIG. 1 is a perspective view of a battery powered lighted for a door knob embodying the design of the present invention;

FIG. 2 is a side elevational view thereof, it being noted that the side opposite is identical to the side shown in FIG. 2;

FIG. 3 is a top plan view thereof, it being noted that the bottom is identical to the top shown in FIG. 3;

FIG. 4 is a front elevational view thereof; and, FIG. 5 is a rear elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5