

US00D338813S

United States Patent [19]

Lumia

tor.

Des. 338,813 Patent Number: [11]

Date of Patent: ** Aug. 31, 1993 [45]

[54]	COMBINED BELLOWS AND FIREPLACE
	POKER

Pat Lumia, 90 Wincott Drive, Inventor:

Etobicoke, Ontario, Canada, M9R

294/10, 19, 14

2P3

[**]	Term:	14 Years	
[21]	Appl. No.:	269,105	
		Nov. 7, 1988	
			D8/14
[58]	Field of Sea	arch	D8/14, 98; 239/571;

References Cited [56]

U.S. PATENT DOCUMENTS

	•		
D. 110,462	7/1938	Ellicott, Jr.	D8/14
•		Peters	
_		Hammond	
-		Selander	
• •		Galetschky	
		Desty et al	
		Snoddy	
		Holleman	
4,889,375	12/1989	Leu	294/14 X

FOREIGN PATENT DOCUMENTS

OTHER PUBLICATIONS

United States Patent Abstract for Fireplace Implement Patent No.: 385,182, Issued: Jun. 16, 1942. Brochure entitled: Power Bellows, The Fire AcceleraPrimary Examiner—Bruce W. Dunkins Assistant Examiner—Monica A. Hannon

[57]

CLAIM

The ornamental design for combined bellows and fireplace poker, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a combined bellows and fireplace poker showing my new design;

FIG. 2 is an enlarged fragmentary view wherein portions thereof have been omitted for convenience of illustration;

FIG. 3 is a view taken from the side opposite FIG. 2 wherein portions thereof have been omitted for convenience of illustration;

FIG. 4 is a bottom plan view;

FIG. 5 is a perspective view showing a second embodiment of my design;

FIG. 6 is an enlarged fragmentary view of a second embodiment of my design wherein portions thereof have been omitted for convenience of illustration;

FIG. 7 is a view taken from the side opposite FIG. 6 wherein portions thereof have been omitted for convenience of illustration;


FIG. 8 is a bottom plan view of the FIG. 5 embodiment; FIG. 9 is a perspective view showing a third embodiment of my design;

FIG. 10 is an enlarged fragmentary view of a third embodiment of my design wherein portions thereof have been omitted for convenience of illustration;


FIG. 11 is a view taken from the side opposite FIG. 10 wherein portions thereof have been omitted for convenience of illustration; and,

FIG. 12 is a bottom plan view of the FIG. 9 embodiment of my design.







Des. 338,813





Aug. 31, 1993





U.S. Patent








FIG.12

Aug. 31, 1993

