



US00D338903S

United States Patent [19]

[11] Patent Number: **Des. 338,903**

Iimura

[45] Date of Patent: **** Aug. 31, 1993**

[54] **MICROFILM SCANNER**

D. 325,729	4/1992	Forsythe et al.	D14/107
D. 329,247	9/1992	Westoby et al.	D16/223
3,898,004	8/1975	Tiger	355/45

[75] Inventor: **Masayuki Iimura, Tokyo, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **771,246**

[22] Filed: **Oct. 4, 1991**

[30] **Foreign Application Priority Data**

Apr. 11, 1991 [JP] Japan 3-10571

[52] U.S. Cl. **D16/225**

[58] Field of Search **D14/107; D16/221-225; 353/27 R, 74, 77, 79; 355/44, 45**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 169,369	4/1953	Forrester	D16/225
D. 223,054	3/1972	Kinsinger	D16/225
D. 226,683	4/1973	Helgesson	D16/225
D. 291,321	8/1987	Kojima	D16/225

OTHER PUBLICATIONS

Minolta Catalog, 1986, p. 2.

Primary Examiner—Bernard Ansher

Assistant Examiner—Adir Aronovich

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a microfilm scanner, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a microfilm scanner showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

