



US00D339107S

# United States Patent [19]

[11] Patent Number: **Des. 339,107**

Van Genechten

[45] Date of Patent: **\*\* Sep. 7, 1993**

[54] **DETECTION DEVICE FOR OPERATING AN AUTOMATIC DOOR**

[56]

### References Cited

#### U.S. PATENT DOCUMENTS

|            |         |                 |       |           |
|------------|---------|-----------------|-------|-----------|
| D. 39,736  | 12/1908 | Murray          | ..... | D13/161   |
| D. 253,526 | 11/1979 | Bouchard et al. | ..... | D10/106 X |
| D. 254,197 | 2/1980  | Ewald           | ..... | D10/106   |
| D. 275,101 | 8/1984  | Read            | ..... | D10/106 X |
| D. 286,383 | 10/1986 | Kotlicki et al. | ..... | D10/106   |
| D. 296,531 | 7/1988  | Kotlicki et al. | ..... | D10/106   |

[75] Inventor: **Michel Van Genechten, Liege, Belgium**

[73] Assignee: **Belgian Electronic Research S.A., Jemeppe-Sur-Meuse, Belgium**

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Ladas & Parry

[\*\*] Term: **14 Years**

### [57] CLAIM

[21] Appl. No.: **699,303**

The ornamental design for detection device for operating an automatic door, as shown.

[22] Filed: **May 10, 1991**

### DESCRIPTION




### [30] Foreign Application Priority Data

Nov. 28, 1990 [IB] Int'l Pat. Institute ..... DM/018216

[52] U.S. Cl. .... **D13/158; D10/106**

[58] Field of Search ..... **D13/158; D10/106; 250/221, 341**

FIG. 1 is a front elevation of a detection device for operating an automatic door showing my new design; FIG. 2 is a top view thereof; FIG. 3 is a left side elevation thereof; FIG. 4 is a rear elevation thereof; FIG. 5 is a right side elevation thereof; and, FIG. 6 is a bottom view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6