



US00D339119S

United States Patent [19]

[11] Patent Number: **Des. 339,119**

Nishimura et al.

[45] Date of Patent: **** Sep. 7, 1993**

[54] FACSIMILE TRANSMITTER AND RECEIVER

[75] Inventors: **Shinji Nishimura, Tokyo; Takaaki Sanpei; Miyoji Uchino, both of Shizuoka; Tetsuya Nagata, Tokyo, all of Japan**

[73] Assignee: **NEC Corporation, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **850,777**

[22] Filed: **Mar. 13, 1992**

[30] Foreign Application Priority Data

Sep. 17, 1991 [JP]	Japan	3-28045
[52] U.S. Cl.		D14/118
[58] Field of Search	D14/118, 124, 299;	D18/36, 37, 40; 358/400, 401

[56] References Cited

U.S. PATENT DOCUMENTS

D. 304,450	11/1989	Hosogai et al.	D14/118
D. 314,931	2/1991	Takayama et al.	D14/118
D. 316,712	5/1991	Tsukada	D14/118
D. 332,606	1/1993	Tanizawa et al.	D14/118

OTHER PUBLICATIONS

Brochure on PANAFAX UF-170, published Aug., 1990.

Brochure on MURATA M1750, published Aug., 1990.
Brochure on CANON FAX 270, published Aug., 1990.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for a facsimile transmitter and receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a facsimile transmitter and receiver showing our new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a front, top and right side perspective view thereof; and,
 FIG. 8 is a front, top and left side perspective view thereof, with a handset thereof removed from the handset support.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

