



US00D339152S

# United States Patent [19]

[11] Patent Number: **Des. 339,152**

Hirose et al.

[45] Date of Patent: **\*\* Sep. 7, 1993**

[54] **COPIER**

[75] Inventors: **Tomoyuki Hirose, Mie; Kouki Fukuda, Nara, both of Japan**

[73] Assignee: **Sharp Kabushiki Kaisha, Osaka, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **875,158**

[22] Filed: **Apr. 30, 1992**

[30] **Foreign Application Priority Data**

Oct. 30, 1991 [JP] Japan ..... 3-33071

[52] U.S. Cl. .... **D18/39**

[58] Field of Search ..... **D18/36-39;**  
355/200, 210, 231, 233-236, 245, 326-328

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 312,653 12/1990 Nakamura et al. .... D18/39

- D. 320,409 10/1991 Kosako et al. .... D18/39
- D. 328,093 7/1992 Shimizu et al. .... D18/36
- D. 328,095 7/1992 Sugihara et al. .... D18/39
- D. 328,756 8/1992 Katada et al. .... D18/36
- D. 331,595 12/1992 Ishida ..... D18/38


*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Ann Hunt  
*Attorney, Agent, or Firm*—Nixon & Vanderhye

[57] **CLAIM**


The ornamental design for a copier, as shown and described.

**DESCRIPTION**


FIG. 1 is a top, front and right side perspective view of a copier according to the present design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a left side elevational view thereof; and,  
FIG. 7 is a bottom plan view thereof.




**FIG. 1**




**FIG. 7**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**

