



US00D339205S

# United States Patent [19]

[11] Patent Number: **Des. 339,205**

**Kramer**

[45] Date of Patent: **\*\* Sep. 7, 1993**

## [54] MULTI-SHADE STRAIGHT PEDESTAL LAMP

[76] Inventor: **Barry L. Kramer, 6180 S. St. Andrews Pl., Los Angeles, Calif. 90047**

[\*\*] Term: **14 Years**

[21] Appl. No.: **840,698**

[22] Filed: **Feb. 24, 1992**

[52] U.S. Cl. .... **D26/102; D26/107; D26/129**

[58] Field of Search ..... **D26/93, 102-112, D26/62, 63, 65, 128-136; 362/410-414**

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 64,575	4/1924	Wiedenhoeft	.....	D26/107
D. 71,543	11/1926	Bowen	.....	D26/103
1,737,017	11/1929	Nelson et al.	.....	362/414

#### FOREIGN PATENT DOCUMENTS

79700	2/1952	Norway	.....	362/411
-------	--------	--------	-------	---------

#### OTHER PUBLICATIONS

- Crest "Lamps of Distinction", Catalog, 1950, p. 34, Double Arm Boudoir Lamp #4825.
- Home Lighting & Accessories, Feb. 1988, p. 29, Mini-Tiffany Lamp Shape (Meyda Stained Glass Studio).
- L & C Mayers Catalog, 1953, p. 343, Twin-Flex Floor Lamp (E).
- Sears Catalog (Philadelphia Ed) 1972, p. 1331, Floor Lamp #4.
- Sears Catalog Spring-1991, p. 966, Bent Glass Screened Swirl Pendant #3.

Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Timothy T. Tyson

## [57] CLAIM

The ornamental design for a multi-shade straight pedestal lamp, as shown and described.

## DESCRIPTION

FIG. 1 is a front elevational view of a multi-shade straight pedestal lamp, showing my new design; FIG. 2 is a right side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is an enlarged top plan view of one of the shades common to the first and second embodiments, the shade being shown alone for purposes of disclosure only; FIG. 8 is a side elevational view thereof; FIG. 9 is a bottom plan view thereof; FIG. 10 is a front elevational view of a second embodiment thereof; FIG. 11 is a right side elevational view of FIG. 10; FIG. 12 is a left side elevational view of FIG. 10; FIG. 13 is a rear elevational view of FIG. 10; FIG. 14 is a top plan view of FIG. 10; FIG. 15 is a bottom plan view of FIG. 10; FIG. 16 is a front elevational view of a third embodiment thereof; FIG. 17 is a right side elevational view of FIG. 16; FIG. 18 is a left side elevational view of FIG. 16; FIG. 19 is a rear elevational view of FIG. 16; FIG. 20 is a top plan view of FIG. 16; FIG. 21 is a bottom plan view of FIG. 16; FIG. 22 is an enlarged top plan view of one of the shades common to the third and fourth embodiments, the shade being shown alone for purposes of disclosure only; FIG. 23 is a side elevational view thereof; FIG. 24 is a bottom plan view thereof; FIG. 25 is a front elevational view of a fourth embodiment thereof; FIG. 26 is a right side elevational view of FIG. 25; FIG. 27 is a left side elevational view of FIG. 25; FIG. 28 is a rear elevational view of FIG. 25; FIG. 29 is a top plan view of FIG. 25; and, FIG. 30 is a bottom plan view of FIG. 25.




FIG. 1




FIG. 2




FIG. 3





FIG. 5




FIG. 6




FIG. 4

FIG. 7




FIG. 8





FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 15




FIG. 13



FIG. 16




FIG. 17




FIG. 18





FIG. 20




FIG. 21




FIG. 19




FIG. 24




FIG. 22




FIG. 23

FIG. 25




FIG. 26




FIG. 27




FIG. 29




FIG. 30





FIG. 28