



US00D339268S

United States Patent [19]

[11] Patent Number: **Des. 339,268**

Zabner

[45] Date of Patent: **** Sep. 14, 1993**

[54] **EMBOSSSED PLATE**

[76] Inventor: **Adolf Zabner**, P.O. Box 249,
Seekonk, Mass. 02771

[**] Term: **14 Years**

[21] Appl. No.: **782,270**

[22] Filed: **Oct. 7, 1991**

[52] U.S. Cl. **D7/585; D7/588**

[58] Field of Search **D7/588, 587, 562, 584,
D7/585, 586, 560, 555, 554, 552, 550, 547, 546,
500, 561; 220/574, 574.1, 671, 674**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 39,588	9/1908	Straker, Jr.	D7/585 X
D. 66,712	7/1923	Sebring	D7/585
D. 78,661	5/1929	Simmons	D7/585
D. 244,503	5/1977	Jensen	D7/585
D. 328,837	8/1972	Marsten et al.	D7/588 X
3,098,597	7/1963	Johnson et al.	D7/585 X

FOREIGN PATENT DOCUMENTS

0002043 of 1911 United Kingdom 220/574.1

Primary Examiner—Alan P. Douglas
Assistant Examiner—M. N. Pandozzi
Attorney, Agent, or Firm—Barlow & Barlow, Ltd.

[57] **CLAIM**

The ornamental design for an embossed plate, as show and described.

DESCRIPTION

FIG. 1 is a top plan view of an embossed plate showing my new design, it being understood that the pattern disclosed is continuous about the entire periphery in the path included within the broken lines;

FIG. 2 is a side elevational view thereof with parts broken away for clarity to show the configuration of the design;

FIG. 3 is a bottom plan view thereof, it being understood that the pattern disclosed is continuous about the entire periphery in the path included within the broken lines;

FIG. 4 is an enlarged, partial plan view of a section of the rim of the plate showing the surface decoration;

FIG. 5 is a sectional view taken along lines 5—5 of FIG. 4; and,

FIG. 6 is a sectional view taken along lines 6—6 of FIG. 4.






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6