



US00D339363S

United States Patent [19]

[11] Patent Number: **Des. 339,363**

Larner

[45] Date of Patent: **** Sep. 14, 1993**

[54] **COMBINED SUNGLASSES AND BAND**

4,930,885	6/1990	Laschober .	
4,968,128	11/1990	Mendola .	
4,974,956	12/1990	Gill	351/157
5,151,778	9/1992	Conley	351/157

[75] Inventor: **Donna M. Larner**, Steamboat Springs, Colo.

[73] Assignee: **Solar Sense USA, Inc.**, Steamboat Springs, Colo.

FOREIGN PATENT DOCUMENTS

620531 10/1935 Fed. Rep. of Germany 2/452

[**] Term: **14 Years**

OTHER PUBLICATIONS

[21] Appl. No.: **850,780**

"Herman's World of Sporting Goods", Advertising Supplement to the Washington Post Nov. 28, 1988 (Design Library) Uvex Super 6.

[22] Filed: **Mar. 13, 1992**

[52] U.S. Cl. **D16/107**

Primary Examiner—B. J. Bullock

[58] Field of Search D16/101, 102, 107, 111-112, D16/116-117, 121; 351/45-46, 57-58, 62, 136, 156-158; 2/435, 439, 452

Assistant Examiner—R. Barkai

Attorney, Agent, or Firm—Jones, Tullar & Cooper

[56] **References Cited**

[57] **CLAIM**


U.S. PATENT DOCUMENTS

The ornamental design for the combined sunglasses and band, as shown and described.

- D. 113,882 12/1938 Sanders .
- D. 149,713 5/1948 Welvang D16/107
- D. 212,201 9/1968 Grayson D16/107
- D. 293,373 12/1987 Beck D16/107
- 2,481,946 9/1949 Pendleton 351/157
- 2,660,092 11/1950 Bloom .
- 2,844,994 5/1956 Filler .
- 2,907,041 2/1959 Finn .
- 3,354,854 11/1967 Rudo .
- 4,111,430 3/1989 Janusz .
- 4,520,510 6/1985 Daigle .
- 4,541,696 9/1985 Winger 351/156
- 4,657,364 4/1987 Murrell 351/156
- 4,712,254 12/1987 Daigle .
- 4,818,094 4/1989 Lyons 351/157
- 4,852,189 8/1989 Duggan .
- 4,878,749 11/1989 McGee .

DESCRIPTION

FIG. 1 is a front perspective view of the combined sunglasses and band showing my new design with the resilient, fabric encased, head encircling, two part band in its unstretched unfastened configuration; FIG. 2 is a front perspective view similar to FIG. 1 with the resilient, fabric encased, head encircling, two part band in a fastened, somewhat stretched configuration; FIG. 3 is a front elevation view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a bottom plan view thereof; and, FIG. 8 is a left side elevational view of the sunglasses and band in accordance with my new design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8