



US00D339425S

United States Patent [19]

[11] Patent Number: **Des. 339,425**

Anderson

[45] Date of Patent: **** Sep. 14, 1993**

[54] **BATTERY POWERED TROUBLE LIGHT**

1,600,067 9/1926 Retze 116/63 P X
4,305,120 12/1981 Lacinski 362/400 X

[76] Inventor: **Jeffrey L. Anderson, 5752 Kutzke Ct., South Beloit, Ill. 61080**

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Leon Gilden

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **627,365**

The ornamental design for a battery powered trouble light, as shown and described.

[22] Filed: **Dec. 14, 1990**

[52] U.S. Cl. **D26/37**

[58] Field of Search **D26/37-50;**
362/157, 158, 183-191, 194-205, 399, 400, 376,
377; D8/303; 116/63 D; 340/321

DESCRIPTION

FIG. 1 is a front elevational view of the battery powered trouble light showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof on an enlarged scale;
and,
FIG. 6 is a bottom plan view thereof on an enlarged scale.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 137,334 2/1944 Siemens D26/37 X
D. 271,057 10/1983 Tirpik D26/37
525,564 9/1894 Rockoff 362/400




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

