



US00D339430S

# United States Patent [19]

[11] Patent Number: **Des. 339,430**

Reed et al.

[45] Date of Patent: **\*\* Sep. 14, 1993**

[54] **COMBINATION HANDLE AND HOUSING FOR A SPRING-RETRACTED ANIMAL LEASH**

5,009,214 4/1991 Wilde ..... 119/96

[76] Inventors: **David P. Reed**, 27281 Westridge La., Laguna Hills, Calif. 92653; **Michael L. Miller**, 4306 Valley Ridge Rd., Dallas, Tex. 75220

### FOREIGN PATENT DOCUMENTS

155598 11/1904 Fed. Rep. of Germany ..... 119/109  
2818222 5/1979 Fed. Rep. of Germany ..... 119/109  
1063551 5/1954 France ..... 119/109  
1546235 5/1979 United Kingdom ..... 119/109

[\*\*] Term: **14 Years**

### OTHER PUBLICATIONS

[21] Appl. No.: **716,334**

Pedigrees the Pet Catalog; pg.13; item No. H01-0097 Retractable Leash & Handle.

[22] Filed: **Jun. 17, 1991**

Taylor Gifts Catalog; pg. 76; item 8502 Dog Collar with built in Leash and handle.

[52] U.S. Cl. .... **D30/153**

Pedigrees the Pet Catalog; pg. 5; item No. J30-0623; retractable tieout.

[58] Field of Search ..... 119/96, 106, 109-110, 119/156, 29; D30/151-154, 160

[56] **References Cited**

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Cathy Anne MacCormac  
*Attorney, Agent, or Firm*—Leonard Tachner

### U.S. PATENT DOCUMENTS


D. 125,944 3/1941 Stickell ..... D30/153  
D. 150,947 9/1948 Grandon et al. .... D30/153  
D. 199,669 12/1964 Simon ..... D30/153  
D. 216,897 3/1970 Meath ..... D30/153  
D. 269,301 6/1983 Deibert ..... D30/153  
D. 298,368 11/1988 Musetti ..... D30/153  
2,222,409 11/1940 Gottlieb ..... D30/153  
2,250,171 7/1941 Wilkins ..... D30/153  
2,833,250 5/1958 Beebe ..... 119/109  
3,603,295 9/1971 Shuman ..... D30/153  
4,391,226 7/1983 Guthrie ..... 119/109  
4,558,663 12/1985 Kalplanis ..... 119/106

### CLAIM

[57] The ornamental design for a combination handle and housing for a spring-retracted animal leash, as shown and described.

### DESCRIPTION

FIG. 1 is an isometric view of a first embodiment; FIG. 2 is a side view thereof; FIG. 3 is a top view thereof; FIG. 4 is a front view thereof; and, FIG. 5 is a rear view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5