United States Patent [19] Kain

- **CHILD'S CAR SEAT** [54]
- James M. Kain, Tipp City, Ohio Inventor: [75]
- Lisco, Inc., Tampa, Fla. [73] Assignee:
- Term: 14 Years [**]
- Appl. No.: 524,998 [21]
- May 18, 1990 Filed: [22]
- [52] [58]



US00D339477S Patent Number: Des. 339,477 [11]

Date of Patent: ** Sep. 21, 1993 [45]

Primary Examiner—Alan P. Douglas Assistant Examiner-Monica A. Hannon

[57]

CLAIM

The ornamental design for a child's car seat, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a child's car seat showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a right side elevational view with the reclining arm extended thereof; FIG. 9 is a rear elevational view with the reclining arm extended thereof; FIG. 10 is a bottom plan view with the reclining arm extended thereof; FIG. 11 is a right side elevational view with the tether removed thereof; and, FIG. 12 is a rear elevational view with the tether removed thereof.

297/181, 250

[56] **References** Cited

U.S. PATENT DOCUMENTS

Re. 29,841	11/1978	Wener	297/250
D . 294,310	2/1988	Wise et al.	D6/333
D . 306,099	2/1990	Kassai	D6/333
D. 311,822	11/1990	Meeeker	D6/333
D. 311,823	11/1990	Meeker	D6/333
4,436,341	3/1984	Converse	297/250
4,545,617	10/1985	Drexler et al.	297/250 X
4,634,185	1/1987	Kassai	297/250 X
4,743,064	5/1988	Takizawa	297/250
4,799,736	1/1989	Kassai	297/250 X
4,989,888	2/1991	Qureshi et al.	297/250 X

OTHER PUBLICATIONS

Best Products Cat., 1978, p. 397, "(E) Bobby-Mac Deluxe Car Seat", center of page.

The strap element located at the lower front of the seat in FIGS. 1, 2, 6, and 7 is shown fragmentarily for convenience of the illustration.



.

.

.

U.S. Patent

.

•

.

· · · ·

.

.

.

. .

.

.

.

. .

.

Sep. 21, 1993

Sheet 1 of 4

Des. 339,477

•

Υ.

.









FIG.4

.















U.S. Patent

•

.

. .

.

.

.

.



Sep. 21, 1993 Sheet 2 of 4

Des. 339,477



.

.

.

. · · .

.

.

+







FIG. 6

. · · ·

. .

. · . -

· · · · ·

F1G. 7

•

. -

. .

,

. •

.

U.S. Patent Des. 339,477 Sep. 21, 1993 Sheet 3 of 4

. . •

· · ·

· · . . -.

.



.

• · · •

• ٠



FIG. 8

FIG. 9

·

.

. · · : .

. . . • .

> . . .

. .

. . .

.

FIG. 10

U.S. Patent

.

.

.

-

.

Sep. 21, 1993

•

.

.

Sheet 4 of 4

∿

.



Des. 339,477

-

. .

-

.

•

·

-

·



FIG. 11

...

.

.

•





• •

.

.

.

.

.

.

.

.



.

.