



US00D339563S

United States Patent [19]

Usami

[11] Patent Number: **Des. 339,563**

[45] Date of Patent: **** Sep. 21, 1993**

[54] BATTERY CHARGER

[75] Inventor: **Satoru Usami, Osaka, Japan**

[73] Assignee: **Matsushita Electrical Industrial Co., Ltd., Osaka, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **690,879**

[22] Filed: **Apr. 24, 1991**

[52] U.S. Cl. **D13/107**

[58] Field of Search **D13/107, 108; D14/240; 320/2, 3, 4, 5**

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|-----------------------|---------|
| D. 278,702 | 5/1985 | Chiodo et al. | D13/107 |
| D. 278,703 | 5/1985 | Chiodo et al. | D13/107 |
| D. 296,685 | 7/1988 | Arita | D13/107 |
| D. 310,203 | 8/1990 | Takahashi et al. | D13/107 |
| D. 321,168 | 10/1991 | Usami | D13/107 |
| 4,403,182 | 9/1983 | Yeh | 320/2 |

OTHER PUBLICATIONS

Battery Chargers on p. 428 of *B. A. Pargh* 1989 Catalog.
Battery Chargers on p. 199 of *Hong Kong Enterprise*,
Feb. 1990.

Primary Examiner—Wallace R. Burke
Assistant Examiner—J. Sincavage
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] CLAIM

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom and left side perspective view of a battery charger showing my new design; FIG. 2 is a front elevational view of the battery charger shown on a reduced scale; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left side elevational view thereof; FIG. 7 is a right side elevational view thereof; and, FIG. 8 is a top, rear and right side perspective view thereof shown on the same scale as FIG. 1.





Fig. 1




Fig. 3




Fig. 2




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

