



US00D339690S

United States Patent [19]

[11] Patent Number: **Des. 339,690**

Takahashi et al.

[45] Date of Patent: **** Sep. 28, 1993**

[54] **HOLDER FOR A PAGING RECEIVER**

[75] Inventors: **Makoto Takahashi; Toshiaki Mizushima**, both of Tokyo, Japan

[73] Assignee: **NEC Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **770,290**

[22] Filed: **Oct. 2, 1991**

[30] **Foreign Application Priority Data**

Apr. 2, 1991 [JP] Japan 3-9408

[52] U.S. Cl. **D3/106**

[58] Field of Search D3/100, 104, 105, 106;
D14/251, 253; 224/901, 904, 252, 253, 219, 224,
267, 240, 236

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 280,466 9/1985 Seltzer et al. D3/106 X
D. 280,674 9/1985 Nelson D3/106

D. 287,905 1/1987 Oyamada D3/106
D. 311,672 10/1990 Johnson D3/100 X
D. 329,749 9/1992 Scheid D3/106


Primary Examiner—A. Hugo Word
Assistant Examiner—Doris V. Coles
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] **CLAIM**

The ornamental design for a holder for a paging receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a holder for a paging receiver showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a right side elevational view, the opposite side being a mirror image thereof; and, FIG. 6 is a front, top and left side perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6