



US00D339779S

United States Patent [19]

Spica

[11] Patent Number: Des. 339,779

[45] Date of Patent: ** Sep. 28, 1993

[54] MODULAR VEHICLE BED LINER MAT

[75] Inventor: Joseph P. Spica, Livonia, Mich.

[73] Assignee: The 2500 Corporation, Farmington Hills, Mich.

[**] Term: 14 Years

[21] Appl. No.: 366,020

[22] Filed: Jun. 13, 1989

[52] U.S. Cl. D12/155

[58] Field of Search D12/98, 155, 203;
D6/582, 585; D25/153, 156; D5/1; 296/39.1,
39.3; 52/100, 177, 591, 594, 660; 440/32, 35, 36

[56] References Cited

U.S. PATENT DOCUMENTS

D. 233,832	12/1974	Becker		D6/585
D. 255,744	7/1980	Dekko		D6/585
D. 274,588	7/1984	Swanson et al.		D6/585
D. 274,948	7/1984	Swanson et al.		D6/585
3,438,312	4/1969	Becker et al.		52/177
3,802,144	4/1974	Spica		52/591
3,868,798	3/1975	Spica		52/100
3,909,996	10/1975	Ettlinger, Jr. et al.		52/177
4,008,548	2/1977	Leclerc		52/591
4,436,779	3/1984	Menconi et al.		52/177
4,468,910	9/1984	Morrison		52/177
4,584,221	4/1986	Kune		52/177
4,596,731	6/1986	Cudmore et al.		52/177

OTHER PUBLICATIONS

Brochure entitled "Introducing Dri-Dek" obtained by Applicant during 1986.

1988 Deflecta-Shield Corporation Catalog dated Jan. 1988. See p. 7 on "Tuff Turf".

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Marshall & Melhorn

[57] CLAIM

The ornamental design for a modular vehicle bed liner mat, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a modular vehicle bed liner mat showing my new design;

FIG. 2 is a side elevation view thereof looking up from the bottom of FIG. 1;


FIG. 3 is a bottom plan view thereof;

FIG. 4 is a side elevation view thereof looking in from the right of FIG. 1;

FIG. 5 is a greatly enlarged top plan view of the lower left corner thereof shown within the circled region 5 in FIG. 1 illustrating the surface pattern in greater detail; and,

FIG. 6 is a sectional view taken along line 6—6 in FIG. 5.

The pattern which is fragmentarily shown at various locations on the top surface of the design in FIGS. 1, 2, and 4 is understood to be repeated uniformly throughout the top surface thereof and is best illustrated in detail in FIGS. 5 and 6.






Fig-3



Fig-4




Fig-5




Fig-6