



US00D339795S

# United States Patent [19]

[11] Patent Number: **Des. 339,795**

Kelly et al.

[45] Date of Patent: **\*\* Sep. 28, 1993**

## [54] PORTABLE COMPUTER ENCLOSURE

[75] Inventors: **Thomas J. Kelly, Colts Neck, N.J.;  
Henry J. Mack, Jr., Levittown, Pa.;  
David J. Mayer, New York, N.Y.;  
Stephen G. Miggels, Wyckoff, N.J.**

[73] Assignee: **AT&T Bell Laboratories, Murray Hill, N.J.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **3,101**

[22] Filed: **Dec. 28, 1992**

### Related U.S. Application Data

- [62] Division of Ser. No. 716,604, Jun. 17, 1991.
- [52] U.S. Cl. .... **D14/106**
- [58] Field of Search ..... **D14/100, 101, 106, 113,  
D14/115; D18/1, 7, 11, 12; 235/145 A, 145 R;  
340/700, 706; 341/22, 23; 364/708, 709.04;  
361/390-394**

### [56] References Cited

#### U.S. PATENT DOCUMENTS

- |            |        |                  |       |         |
|------------|--------|------------------|-------|---------|
| D. 308,862 | 6/1990 | Ojeda            | ..... | D14/106 |
| D. 313,403 | 1/1991 | Esslinger et al. | ..... | D14/106 |
| D. 329,045 | 9/1992 | Kobayashi        | ..... | D14/106 |
| D. 332,781 | 1/1993 | Toedter          | ..... | D14/106 |
| D. 333,815 | 3/1993 | Mizusugi et al.  | ..... | D14/106 |

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Freda S. Nunn  
*Attorney, Agent, or Firm*—John A. Caccuro

## [57] CLAIM

The ornamental design for a portable computer enclosure, as shown and described.

### DESCRIPTION

FIG. 1 is a reduced top right front perspective view of a portable computer enclosure in its opened position showing our new design;

FIG. 2 is a reduced top left rear perspective view of the apparatus of FIG. 1;

FIG. 3 is a left side elevational of the apparatus of FIG. 1 in its closed position the right side elevational not shown is a mirror image of the shown left side;

FIGS. 4 and 5 are respectively front and rear elevational views of the apparatus of FIG. 3;

FIG. 6 is a top plan view of the apparatus of FIG. 3;

FIG. 7 is a bottom plan view of the apparatus of FIG. 3;

FIG. 8 is a left side elevational view of a ninety degree open position of the apparatus of FIG. 1 the right side elevational not shown is a mirror image of the shown left side;

FIG. 9 is a front elevational view of the apparatus of FIG. 8;

FIG. 10 is a rear elevational view of the apparatus of FIG. 8;

FIG. 11 is a top plan view of the apparatus of FIG. 8;

FIG. 12 is a reduced top right front perspective view of a second embodiment of the apparatus of FIG. 1 the undisclosed views are identical in appearance to those of the first embodiment the only difference being the inclusion of a handle; and,

FIG. 13 is a reduced top left rear perspective view of the apparatus of FIG. 12.

The keys shown in broken lines for illustrative purposes only are partially shown in the figures for ease of illustration and they are understood to continue uniformly across each of the indicated surfaces.





FIG. 1






FIG. 2

FIG. 3



FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8

FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

