



US00D339819S

United States Patent [19]

[11] Patent Number: **Des. 339,819**

Chen

[45] Date of Patent: **** Sep. 28, 1993**

[54] ROLLABLE STAMP

[75] Inventor: **Tungnan Chen, Taipei, Taiwan**
[73] Assignee: **Jiang Shuay Rubber Exploit Inc., Taipei, Taiwan**

[**] Term: **14 Years**

[21] Appl. No.: **792,764**

[22] Filed: **Nov. 13, 1991**

[52] U.S. Cl. **D18/14**

[58] Field of Search 101/405, 328-331, 101/327, 333; D18/14-16; D9/417, 521

[56] References Cited

U.S. PATENT DOCUMENTS

D. 195,139	4/1963	Tapper	D9/417
D. 279,077	6/1985	Drummond, Jr. et al.	D9/521
D. 309,433	7/1990	Minuti	D9/424
D. 318,685	7/1991	Kida	D18/15
2,513,419	7/1950	Mann	101/328
2,691,936	10/1954	Farkas et al.	101/331
2,776,620	1/1957	Quimby	101/328
4,152,980	5/1979	Siegal	101/329
4,690,053	9/1987	Munyon et al.	101/328
4,939,990	7/1990	Inaguma et al.	101/405
4,993,159	2/1991	Hull et al.	101/328
5,109,769	5/1992	Wright, Jr.	101/329

FOREIGN PATENT DOCUMENTS

107030	8/1927	Fed. Rep. of Germany	101/328
2942831	5/1980	Fed. Rep. of Germany	101/331
432925	3/1948	Italy	101/328
45923	7/1917	Sweden	101/328

OTHER PUBLICATIONS

Marketing Industry Magazine; May 1991; p. 21; The Rollagraph Roller Stamp System.


Primary Examiner—A. Hugo Word
Assistant Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Dellett, Smith-Hill and Walters

[57] CLAIM

The ornamental design for a rollable stamp, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the front, right, and top side of a rollable stamp showing my design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof (the right view being identical thereof); FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is an exploded perspective view thereof in an unfolded condition.






FIG. 1




FIG. 7




FIG. 3




FIG. 2




FIG. 4




FIG. 6




FIG. 5