



US00D339985S

# United States Patent [19]

[11] Patent Number: **Des. 339,985**

Tarte

[45] Date of Patent: **\*\* Oct. 5, 1993**

[54] **CONTROLLABLE POURING SPOUT**

4,765,511 8/1988 Clements .  
4,777,990 10/1988 Grant .  
4,801,053 1/1989 Kaster .  
4,832,238 5/1989 Taylor .

[76] Inventor: **Ray Tarte**, 2911 Cherrywood Ave.,  
Bellingham, Wash. 98225

[\*\*] Term: **14 Years**

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Ann Hunt  
*Attorney, Agent, or Firm*—Terry M. Gernstein

[21] Appl. No.: **797,095**

[22] Filed: **Nov. 22, 1991**

[52] U.S. Cl. .... **D9/447**

[57] **CLAIM**

[58] Field of Search ..... **D9/434, 435, 440, 447;**  
**D23/244; 222/478, 481, 537**

The ornamental design for a controllable pouring spout,  
as shown and described.


[56] **References Cited**

**DESCRIPTION**

**U.S. PATENT DOCUMENTS**

D. 247,350	2/1978	Witt	.....	D9/440
D. 277,460	2/1985	Vadnais	.....	D9/447
D. 332,221	1/1993	Willems	.....	D9/447
1,520,029	12/1924	Lewis	.....	222/478
3,235,133	2/1966	Zimmerman et al.	.....	222/478
3,235,146	2/1966	Parish, Jr. et al.	.....	222/478
4,690,375	9/1987	Vorhis	.....	

FIG. 1 is a perspective view of the controllable pouring  
spout embodying the design of the present invention;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a side elevational view thereof;  
FIG. 5 is a side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7