



US00D340259S

United States Patent [19]

[11] Patent Number: **Des. 340,259**

Etou et al.

[45] Date of Patent: **** Oct. 12, 1993**

[54] **COMPUTER OUTPUT PRINTER**

D. 322,274 12/1991 Tokuda et al. D18/54
D. 327,907 7/1992 Sawa D18/54

[75] Inventors: **Masayoshi Etou; Hiroshi Hidaka; Hisanao Yunoki; Yukio Terauchi**, all of Tokyo, Japan

FOREIGN PATENT DOCUMENTS

8800088 10/1988 Fed. Rep. of Germany D18/50
771553 6/1989 Japan D18/50

[73] Assignee: **NEC Corporation**, Tokyo, Japan

Primary Examiner—A. Hugo Word
Assistant Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[**] Term: **14 Years**

[21] Appl. No.: **789,466**

[57] **CLAIM**

[22] Filed: **Nov. 8, 1991**

The ornamental design for a computer output printer, as shown.

[30] **Foreign Application Priority Data**

DESCRIPTION

May 9, 1991 [JP] Japan 3-13608

[52] U.S. Cl. **D18/55**


[58] **Field of Search** D18/36-39, D18/19, 50, 52, 53, 54-55; 156/384; 101/93.4, 269, 91; 400/613, 613.4, 691-694, 690.1-690.4

FIG. 1 is a front elevational view of a computer output printer showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a front, top and right side perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 281,256 11/1985 Yamamoto D18/37
D. 291,095 7/1987 Morozumi et al. D18/55
D. 321,203 10/1991 Sugawara D18/55






FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5




FIG. 6




FIG. 7

