



US00D340319S

# United States Patent [19]

[11] Patent Number: **Des. 340,319**

**Kamata**

[45] Date of Patent: **\*\* Oct. 12, 1993**

[54] **HELMET**

[75] Inventor: **Eitaro Kamata, Tokyo, Japan**

[73] Assignee: **Shoei Kako Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **662,898**

[22] Filed: **Mar. 1, 1991**

[30] **Foreign Application Priority Data**

Sep. 5, 1990 [JP] Japan ..... 2-29861

[52] U.S. Cl. .... **D29/15**

[58] Field of Search ..... **D29/12-16;**  
2/2, 410-412, 414, 417-418, 423-425

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 228,323 9/1973 MacCoon ..... D29/15
- D. 234,550 3/1975 Kamata ..... D29/14
- D. 273,339 4/1984 Gevert ..... D29/15
- D. 312,513 11/1990 Morin ..... D29/12

- D. 330,096 10/1992 Heinnch ..... D29/15
- D. 330,951 11/1992 Kamata ..... D29/14
- D. 331,474 12/1992 Lehtonen ..... D29/14
- 4,519,099 5/1985 Kamiya et al. .... D29/14


*Primary Examiner*—Ruth McInroy  
*Attorney, Agent, or Firm*—Armstrong, Westerman, Hattori, McLeland & Naughton

[57] **CLAIM**

The ornamental design for a helmet, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a helmet showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a right side elevational view thereof, the left side being a mirror image;  
 FIG. 5 is a top plan view thereof;  
 FIG. 6 is a bottom plan view thereof; and,  
 FIG. 7 is a perspective view thereof with the air adjusting plate being in an open position.



*FIG. 1*




FIG. 3





FIG. 2



*FIG. 4*




FIG. 6






FIG. 5



*FIG. 7*



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

Page 1 of 6

PATENT NO. : Des. 340,319  
DATED : October 12, 1993  
INVENTOR(S) : Eitaro Kamata

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page showing the illustrative figure should be deleted to be replaced with the attached title page.

Figures 1, 2, 6 and 7 should be deleted to replaced with the sheet of drawings as shown on the attached pages.

Signed and Sealed this  
Tenth Day of May, 1994

Attest:



BRUCE LEHMAN

Attesting Officer

Commissioner of Patents and Trademarks

[54] HELMET

[75] Inventor: Eitaro Kamata, Tokyo, Japan

[73] Assignee: Shoei Kako Kabushiki Kaisha, Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 662,898

[22] Filed: Mar. 1, 1991

[30] Foreign Application Priority Data

Sep. 5, 1990 [JP] Japan ..... 2-29861

[52] U.S. Cl. .... D29/15

[58] Field of Search ..... D29/12-16;  
2/2, 410-412, 414, 417-418, 423-425

[56] References Cited

U.S. PATENT DOCUMENTS

D. 228,323	9/1973	MacCoon	.....	D29/15
D. 234,550	3/1975	Kamata	.....	D29/14
D. 273,339	4/1984	Gevert	.....	D29/15
D. 312,513	11/1990	Morin	.....	D29/12

D. 330,096	10/1992	Heinnch	.....	D29/15
D. 330,951	11/1992	Kamata	.....	D29/14
D. 331,474	12/1992	Lehtonen	.....	D29/14
4,519,099	5/1985	Kamiya et al.	.....	D29/14


Primary Examiner—Ruth McInroy  
Attorney, Agent, or Firm—Armstrong, Westerman,  
Hatori, McLeland & Naughton

[57] CLAIM

The ornamental design for a helmet, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a helmet showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof, the left side being a mirror image;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a perspective view thereof with the air adjusting plate being in an open position.





*FIG. 1*







FIG. 2

FIG. 6



*FIG. 7*

