



US00D340320S

United States Patent [19]

Kamata

[11] Patent Number: **Des. 340,320**

[45] Date of Patent: **** Oct. 12, 1993**

[54] **HELMET**

[75] Inventor: **Eitaro Kamata, Tokyo, Japan**

[73] Assignee: **Shoei Kako Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **662,899**

[22] Filed: **Mar. 1, 1991**

[30] **Foreign Application Priority Data**

Sep. 5, 1990 [JP] Japan 2-29862

[52] U.S. Cl. **D29/15**

[58] Field of Search **D29/12-16;**
2/2, 410-412, 414, 417-418, 423-425

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 228,323 9/1973 MacCoon D29/15
- D. 234,550 3/1975 Kamata D29/14
- D. 273,339 4/1984 Gevert D29/15
- D. 312,513 11/1990 Morin D29/12

- D. 330,096 10/1992 Heinnch D29/15
- D. 330,951 11/1992 Kamata D29/14
- D. 331,474 12/1992 Lehtonen D29/14
- 4,519,099 5/1985 Kamiya et al. D29/14

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Armstrong, Westerman, Hattori, McLeland & Naughton

[57] **CLAIM**

The ornamental design for a helmet, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a helmet showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a perspective view thereof with the air adjusting plate in an open position; and,
 FIG. 8 is a perspective view thereof with the shield plate in an open position.




FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 6





FIG. 5






FIG. 7




FIG. 8